

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY
■ Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.  ■ Print your name and address on the reverse so that we can return the card to you.  ■ Attach this card to the back of the mailpiece, or on the front if space permits.  1. Article Addressed to:  MR Stephen C. Lonneman  Seniar District Manager	A. Received by (Please Print Clearly)  STEPHEN CONNEMAN   1.2.07  C. Signature  X
3956 state Route 412 Vickery, OH 43464	3. Service Type  Certified Mail Registered Return Receipt for Merchandise Insured Mail C.O.D.
	4. Restricted Delivery? (Extra Fee) ☐ Yes
2. Article Number (Transfer from service label) 7001 03	320 0006 1448 5483
PS Form 3811, March 2001 Domestic Ret	turn Receipt 102595-01-M-1424



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

#### REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

OCT 3 0 2007

REPLY TO THE ATTENTION OF:

LR-8J

# CERTIFIED MAIL RETURN RECEIPT REQUESTED

Mr. Stephen C. Lonneman Senior District Manager Vickery Environmental, Inc. 3956 State Route 412 Vickery, OH 43464

Re:

Compliance Evaluation Inspection

EPA I.D. No.: OHD020273819

Dear Mr. Lonneman:

On September 26, 2007, a representative of the United States Environmental Protection Agency (U.S. EPA) and representatives of the Ohio Environmental Protection Agency (OEPA) inspected Vickery Environmental, Inc. (Vickery), located in Vickery, Ohio. The purpose of the inspection was to evaluate Vickery's compliance with certain requirements of the Resource Conservation and Recovery Act (RCRA).

As of this writing, our review of the inspection has not resulted in any violations. Please find enclosed a copy of the U.S. EPA inspection report and checklists for your files.

This determination does not limit the applicability of the requirements evaluated, other RCRA regulations, or regulations under other environmental statutes. The U.S. EPA and the OEPA will continue to evaluate your facility in the future.

If you have any questions or concerns regarding this matter, please contact Bryan Gangwisch of my staff at 312-886-0989.

Sincerely,

Paul Little, Chief Compliance Section 2

RCRA Branch

Land and Chemicals Division

### Enclosure

cc: Gary Deutschman, OEPA, NWDO

MaryAnn Miller, OEPA 3956 State Route 412 Vickery, OH 43464

## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 5, LCD, RCRA BRANCH, LR-8J 77 WEST JACKSON BOULEVARD CHICAGO, ILLINOIS 60604

### RCRA COMPLIANCE EVALUATION INSPECTION REPORT

**SITE NAME:** 

Vickery Environmental, Inc.

EPA ID No.:

OHD020273819

ADDRESS:

3956 State Route 412

Vickery, OH 43464

DATE OF INSPECTION: September 26, 2007

**EPA INSPECTOR:** 

Bryan Gangwisch

PREPARED BY:

Bryan Gangwisch

Environmental Scientist

Compliance Section #2

**ACCEPTED BY:** 

Paul Little, Chief

Compliance Section #2

#### **Purpose of Inspection**

This inspection was an evaluation of Vickery Environmental, Inc. (Vickery), and its compliance with hazardous waste regulations found at Ohio Administrative Code (OAC), requirements in both the August 17, 2001, Ohio Environmental Protection Agency (OEPA) authorized RCRA permit and the U.S. EPA authorized RCRA permit, and the Code of Federal Regulations (CFR). I performed the inspection with Gary Deutschman and MaryAnn Miller (full-time on-site inspection) of the OEPA. The inspection was a U.S. EPA lead RCRA Compliance Evaluation Inspection (CEI).

#### **Participants**

Stephen C. Lonneman, Senior District Manager	Vickery
Brett A. Miller, Environmental, Health & Safety Manager	Vickery
Gary Deutschman, Environmental Specialist	OEPA
MaryAnn Miller, Environmental Specialist	OEPA
Bryan Gangwisch, Environmental Scientist	U.S. EPA

#### Introduction

The inspectors arrived at the site on September 26, 2007, at approximately 9:25 a.m. The weather consisted of cloudy conditions with a light wind, and an ambient air temperature of approximately 70 degrees Fahrenheit. We introduced ourselves, presented our inspector credentials and identification, and described the purpose of the inspection and the process by which we intended to conduct the inspection. Mr. Lonneman provided us with a verbal description of the site, led the tour throughout the facility, and then provided us with most of the records we requested for review.

#### Site Description

Vickery was operating as a permitted treatment, storage and disposal facility (TSDF) and a large quantity generator at the time of the inspection according to Mr. Lonneman, an OEPA annual hazardous waste report, and a U.S. EPA database. The Vickery Ohio Hazardous Waste Facility Installation and Operation Permit No. is 03-72-0191 and was issued and became effective on August 17, 2001. The current Class 3 permit allows the facility to store hazardous waste in tanks, to treat waste in tanks and a filter press, and to conduct closure/post closure and corrective action activities. Also, the U.S. EPA joint portion of the permit was issued on April 4, 2005, and became effective on April 14, 2005.

The principle features of the existing facility are as follows: Truck Unloading Facility which receives all aqueous wastes accepted by the facility (including internal truck wash); waste treatment/storage tanks which are used to store and treat all wastes received by the facility;

filtration systems used to separate solids from the treated wastestream prior to deepwell injection; four injection wells (deepwells) and associated support facilities through which all aqueous wastes are disposed; Closure Cell which is subject only to post-closure care; and various support units including the truck sampling station, truck scales, laboratory, maintenance and equipment storage building, and office and administration building.

Wastes that are designated as one of the following types and delivered to the treatment tanks appropriate for that waste type as determined by the Waste Analysis Plan (WAP): Regular wastes (hydrochloric, sulfuric, other dilute acids, brines, leachates, site generated, and other aqueous wastes); High millivolt wastes (nitric, chromic and other acids and wastes that have a high millivolt potential); and strong alkaline wastes (sodium hydroxide, ammonium hydroxide and other wastes with high pH).

Accepted wastes are pumped to storage tanks for treatment. After waste treatment/blending is completed, the contents of the tank may be pumped through a primary filter to remove any solids and/or treatment residues or may flow directly to a surge tank. The primary filter effluent then may flow to a post-filtration holding tank, to a surge tank and through a guard filter or directly to a guard filter where a surge tank is not available for injection by the deepwells.

The facility's Integrated Aqueous Waste Treatment System (IAWTS) consists of the following units: (1) the Truck Unloading Facility which includes ancillary, basket strainers and pumps, waste receiving tanks (V-Tanks), waste head-gas caustic scrubber and solids handling unit; (2) Waste Storage, and Treatment Tank System (T-Tanks); (3) the filters and filter buildings; (4) the pumps and pump houses; and (5) the yard piping.

Potentially contaminated stormwater collected from tank containment systems and facility generated wastewaters are transferred to the IAWTS for treatment and deepwell disposal. Uncontaminated surface runoff from other parts of the facility is directed off-site to Meyers Ditch or the Ohio Turnpike Ditch, in accordance with the Surface Water Management Plan.

Solids removed from the treated wastes by the strainers, bag filters, grit filters, primary and guard filters are collected and shipped to off-site disposal.

There are four separately permitted underground injection deep wells for hazardous waste disposal at the facility. Each well was issued a Class 1 hazardous Underground Injection Control (UIC) permit to operate. The permit numbers for these wells are UIC 03-72-009-PTO-1, UIC 03-72-011-PTO-1, UIC 03-72-012-PTO-1, and UIC 03-72-013-PTO-1. These permits allow Vickery to use its injection wells for the injection of treated aqueous wastes wastewater generated from plant processes underground into an injection interval consisting of the Mt. Simon Sandstone and portions of adjoining formations.

Vickery has also received approval of its petition for exemption from the land disposal restrictions of the 1974 HSWA amendments which allow Vickery to dispose of an approved list

of restricted wastes into the four underground injection wells. This approval indicates that Vickery submitted sufficient information, based on computer modeling and analytical calculations, to demonstrate to a reasonable degree of certainty that restricted wastes will not migrate from the injection zone within a 10,000 year period at concentrations which exceed health-based limits. The approval is currently in effect.

Collectively the four injection wells dispose an average monthly volume of 3-4 million gallons of treated aqueous waste at a rate of 60-70 gallons per minute (gpm) of injection as stated by Mr. Lonneman. Most of the time there is 1-2 wells running. The authorized calendar year limitation for incoming waste volume acceptance is 126 million gallons, but not to exceed 650,500 gallons per day (gpd).

Vickery obtains its process waters from two on-site groundwater wells. There are three private water supply wells located within 1,000 feet of the site. Monitoring wells have been sampled and monitored since 1981.

Wastes that are not currently accepted by the Vickery facility are as follows: Radioactive Wastes (as regulated by the NRC); Infectious Wastes; Explosive and Shock-Sensitive Reactive Wastes; Air-reactive Wastes; Water-reactive Wastes; Compressed Gases; Reactive wastes that generate dangerous quantities of toxic or explosive gases when acidified at this facility; Wastes with a flash point less than 140 degress Fahrenheit; and Wastes with greater than 5% volatile organic compounds.

There are approximately 28 employees that work three shifts. The facility operates its deepwells on a twenty-four hours/seven days per week schedule. However, the truck unloading (approximately 25 trucks per day) process operates Monday through Friday 7:00 a.m. to 5:00 p.m. and 7-3 on Saturday. No unloading occurs on Sunday as stated by Mr. Lonneman.

There were three hazardous waste storage roll-off boxes located in the area between the V-Tanks and the T-Tanks and near Filter Building No. 2. There also was multiple hazardous waste accumulation containers located throughout the facility. The containers that are used to manage hazardous waste at Vickery consist of 20-gallon and 35-gallon containers, twelve (12) hazardous waste storage and treatment tanks, one laboratory tank, one admix tank, one pre-coat tank, one miscellaneous unit (filter press is also considered one of the treatment tanks) and roll-off boxes.

The main waste streams generated at Vickery consist of: waste filter cake (six roll-offs shipped approximately per month); spent primary and secondary cartridge, bag and guard filters (same roll-off used for filter cake); T-Tank clean-out residue (approximately once per year); miscellaneous debris (same roll-off used for filter cake); laboratory waste; gloves and personal protective equipment (same roll-off used for filter cake). There are multiple hazardous waste codes associated with the main waste types that Vickery accepts for treatment/storage and disposal, per their WAP. Spent fluorescent light bulbs were being managed as hazardous waste as stated by Mr. Lonneman. Used hydraulic oil is generated from Maintenance Shop use as

stated by Mr. Lonneman. The used oil is stored in 55-gallon drums and gets picked up for recycling. Used vehicle batteries are generated and are swapped-out with Crown Batteries in Fremont, Ohio, for recycling. Also, spent computer parts were being managed for recycling but were generated very infrequently as stated by Mr. Lonneman.

The Vickery facility also had a NPDES stormwater permit to discharge and air permits-to-install for dust control and the scrubber system.

An opening conference began at approximately 9:38 a.m. Mr. Lonneman stated that there were no active surface impoundments at the facility and that Vickery was in its fifteenth year of post-closure on the Closure Cell. Vickery's hazardous waste generation was about 99% comprised of filter press cake, gloves and personal protective equipment (PPE) as stated by Mr. Lonneman. Vickery's generated solid hazardous waste is shipped to the Province of Quebec in Canada. The filter press that was located in Filter Building No. 2 was designated per the permit as a miscellaneous unit as stated by Mr. Lonneman. Mr. Lonneman stated that Subparts AA and BB were not applicable to Vickery, but Subpart CC was applicable.

Mr. Lonneman stated that the scrubber system received working pressures from the V-Tanks and T-Tanks. T-Tanks had a conservation control device and any overpressure would re-route to the scrubber as stated by Mr. Lonneman. Mr. Lonneman also stated that the V-Tanks operated under negative pressure and the T-Tanks operated under positive pressure.

#### Site Tour

The physical walkthrough of the site began at approximately 10:35 a.m. We started at the Lab where every incoming truck and tote load is sampled and one out of every ten incoming loads is tested for PCBs. There were three 20-gallon containers that were accumulating hazardous waste filter paper and gloves. All three containers were labeled as "Hazardous Waste" and "Hazardous Waste Solids", dated 9/11/07, and all were closed at this time. There was a fire extinguisher, first aid and spill kit, and an eye wash in the vicinity. All of the waste profiles for the incoming loads were located in this area.

Mr. Lonneman stated that all of the site wastewater including truck wash, leachate, sanitary, stormwater and containment combined produce approximately 1 million gallons per month that are deepwelled.

We next inspected the Receipt Control Office. There we met Teresa Roth who was employed as the Receipt Control Clerk. Mr. Lonneman stated Ms. Roth monitors the scaling in and out of truck loads and ticket production for site processing. Also, Mr. Lonneman stated that the Vickery facility utilized Vickery Transportation, Inc. (VTI), to transport waste to the facility. There was a 72-hour maximum rule for all trucks to be unloaded as stated by Mr. Lonneman.

Next, we went outside to inspect the Lab Tank that was situated in a vault which had a plastic liner.

At Deepwell No. 4, which was located inside of Pump House No. 2, there was a 35-gallon container that typically is utilized to accumulate gloves, PPE and cartridge filters as stated by Mr. Lonneman. This container was empty at this time. There was an eye wash and fire extinguisher in this pump house. The aboveground piping run that lead to Deepwell No. 4 was double-walled. This deepwell was operating at 40-50 gpm as stated by Mr. Lonneman. The annulus pot that utilized diesel pressure as a leak detection indicator for the deepwells was described to us by Mr. Lonneman. Two pictures were taken at this time, one of the No. 4 well head and one of the aboveground piping run and leak detection sensor in the piping run. Pump House No. 2 and Deepwell No. 4 were inspected as a representative well/pump house set up.

Next, we inspected the Sewage Tank along with surface water management gate A-7.

At the Unloading Building, where paperwork is generated and handed to personnel that take the samples of the truck and tote loads to the Lab. Once the sample is verified, personnel in the Lab fax the same paperwork back to the Unloading Building to determine what process path the sampled waste stream will be sent to.

Next, we inspected the Office Control of the IAWTS. We met Vinny Sidoti who was one of nine employees who take part in conducting daily inspections of the single-walled aboveground piping run at the facility. Mr. Lonneman stated that the deepwells at the Vickery facility started in 1978. Also, the wells are electronically inspected every hour and the tanks are inspected every two hours. All of the daily inspections, required by the permit, that take place in the field are all kept in the Office Control Room. Those inspections include tanks, lines, pumps, high-level alarms, filter press and sumps, admix and pre-coat tanks and the bag filter system.

Next, we inspected the V-Tank Building. There were four double-walled 6,000-gallon V-Tanks situated in a vault.

At the Scrubber System, there were no visual emissions. A picture was taken at this time. Also, there were some empty roll-off boxes in this vicinity.

Next, we inspected the Maintenance Shop. There was one 35-gallon container that was accumulating hazardous waste gloves and rags. The container was labeled as "Hazardous Waste", dated 9/11/07, and was closed at this time. There was a fire extinguisher, first aid and spill kit, and an eye wash in the vicinity.

At the Oil Storage Room, there were four 55-gallon drums that contained used oil. All four of the drums were labeled as "Used Oil" and were closed at this time.

Next, we inspected the T-Tanks. There were two roll-off boxes in the area between the V-Tanks and the T-Tanks. One of the roll-off boxes contained demolished piping. The roll-off box was labeled as "Hazardous Waste", dated 9/24/07, and was covered at this time. The other roll-off box contained non-hazardous waste.

Next, we inspected Filter Building No. 1. There was one 35-gallon container that was accumulating hazardous waste gloves and rags. The container was labeled as "Hazardous Waste", dated 9/11/07, and was closed at this time. There was a fire extinguisher, first aid and spill kit, and an eye wash in the vicinity.

Next, we inspected Filter Building No. 2. There was one roll-off box situated in the building that contained waste filter cake. The roll-off box was labeled as "Hazardous Waste", dated 9/15/07, and was covered at this time. Also, there was one 35-gallon container that was accumulating hazardous waste gloves and rags. The container was labeled as "Hazardous Waste", dated 9/11/07, and was closed at this time. There was a fire extinguisher, spill kit, and an eye wash in the vicinity.

Outside of Filter Building No. 2, there were seven empty roll-off boxes situated for future use. Also, there was one roll-off box that contained waste filter cake. The roll-off box was labeled as "Hazardous Waste", dated 8/5/07, and was covered at this time.

Next, we inspected the T-Tank Pump House. There was one 35-gallon container that was accumulating hazardous waste rags and PPE. The container was labeled as "Hazardous Waste", dated 9/11/07, and was closed at this time. There was a fire extinguisher, spill kit, and an eye wash in the vicinity.

The inspectors broke for lunch at approximately 12:40 p.m.

The inspectors arrived back at the facility at approximately 2:15 p.m.

#### **Record Review**

Most of the design and installation certifications for the hazardous waste storage and treatment tanks were previously inspected for compliance as required by the permit. However, the more recently installed filtered acid tanks (FAT-5 and FAT-3) certifications were completed on 7/22/98 and 10/25/04, respectively, by Bowser-Morner Associates, Inc (Bowser-Morner). Those certifications were sufficient. Also, the tank certifications for the more recently installed V-Tanks were completed on 8/19/98 (tanks 6 & 7) and 9/14/98 (tanks 4 & 5), respectively, by Bowser-Morner. Those certifications were also sufficient.

The daily documented inspections of the hazardous waste storage and treatment tank systems were reviewed. All of the days were documented and were kept on file for at least the last three years. The hazardous waste storage and treatment tank inspections followed the inspection schedule as required by the permit. Also, other daily inspections that were occurring at Vickery either as required by the permit or by management practice included: truck scale; hazardous waste roll-off boxes; IAWTS; deepwells; Truck Unloading/Sampling Station; Gas Scrubber; Lab; Closure Cell; KK-groundwater monitoring well; supplied air equipment; and road dust. Any one of nine different employees typically conducts the inspections.

The weekly documented inspections of hazardous waste storage containers from the multiple locations throughout the facility were reviewed by the inspectors. All of the weeks were documented and were kept on file for at least the last three years. The hazardous waste storage container inspections followed the inspection schedule as required by the permit. Also, other weekly inspections that were occurring at Vickery either as required by the permit or by management practice included: emergency communications; injection lines; safety inventory; and leachate. Any one of nine different employees typically conducts the inspections.

Monthly inspections that were occurring at Vickery either as required by the permit or by management practice included: security; surface water; and capillary drain. Any one of nine different employees typically conducts the inspections.

Quarterly inspections that were occurring at Vickery either as required by the permit or by management practice included: groundwater monitoring wells. Any one of nine different employees typically conducts the inspections.

Semi-annual inspections that were occurring at Vickery either as required by the permit or by management practice included: tank air emissions; Closure Cell; and depth of leachate. Any one of nine different employees typically conducts the inspections.

The closure and post-closure cost estimates and insurance liability coverages were inspected. The most recent total closure cost estimate was \$3,249,665 and the total post-closure cost estimate was \$3,356,042. These estimates were updated as of 1/26/07.

The Certificate of Insurance and Liability for closure and post-closure was inspected. The most recent certificate, dated 2/2/07, indicated that Vickery had sufficient liability coverage as required by the permit, for occurrences that could arise at the facility.

Initial hazardous waste training at Vickery is provided to all employees and contractors involved in the production/hazardous waste management process as stated by Mr. Lonneman. The RCRA training and annual refreshers are administered and documented. The content of the hazardous waste training program included contingency plan implementation; procedures for replacing emergency equipment; communications and alarm systems; response to fires or explosions; response to groundwater contamination incidents; and shutdown of operations and all other areas as required by the permit. The documentation of training record requirements were available and included the following: job descriptions for each job title related to hazardous waste management, including requisite skill, education, or other qualifications, and duties of facility personnel assigned to each position; the type and amount of both introductory and continuing training to be given to each employee filling a position; and documented annual hazardous waste management training. The inspectors observed Mr. Lonneman's training records and annual RCRA refreshers. Annual RCRA training records were also observed for other employees and annual (described in the permit as the calendar year) training was being performed in accordance with Vickery's permit language.

There was a contingency plan in place for the facility. The most recently updated (7/13/06) plan included the following: actions to be taken in response to fires or explosions; procedures for emergency shutdown; description of the site layout including all hazardous waste storage locations; emergency equipment capabilities and locations for fire extinguishers, pull-alarm locations, and eyewash locations and all other areas as required by the permit. Copies of the contingency documents have been sent to all local emergency authorities as stated by the plan in the past. The OEPA permit required Vickery to review the facility contingency plan at least annually. However, it was noted during the inspection, that employee training records indicated that the contingency plan was reviewed in 2007 as part of the employee training schedule. In addition, Mr. Miller stated that he reviewed the contingency plan as part of his new duties required by his position.

The WAP was previously inspected and the most recent requested revision that included an update of sampling methods was completed on 8/16/05, and correspondence dated 12/16/05, indicated that OEPA approved of the modification.

The most recent manifests show that all hazardous waste is sent to the following TSDF: Stablex (NYD980756415) in Blainville, Province of Quebec, Canada. The following transporter was also used: Rollex LTEE (NYF006000063). All export notices and certificates were available for review on each manifest for each waste stream. A couple of incoming truck loads come from Canada per day as stated by Mr. Lonneman. The manifests were retained on file for at least the last three years. Mr. Lonneman stated that Ms. Roth typically signs the manifests.

Waste determinations were documented for all hazardous and non-hazardous waste streams and were documented through generator knowledge.

RCRA Subpart CC did apply to the following hazardous waste storage and treatment tanks: T-Tanks 1,2,5,6,9 and 10; FAT-Tanks 3 and 5; and the Lab Tank. Those tanks are inspected as required by the permit for Subpart CC Tank Air Emissions Inspections on the Semi-Annual Inspection Report, and the inspection results were sufficient. Also, Vickery inspects the Scrubber protectoseal (conservation vent) as part of their Tank Air Emissions Inspection for the Semi-Annual Inspection Report. Vickery did provide a documented maximum organic vapor pressure (MOVP) determination for the waste stream that the T-Tanks process. The first MOVP determination that was performed in 1996 indicated that the T-Tanks were operating under a MOVP of 2.96 kPa. The second MOVP determination that was performed in October 2000, to confirm the initial determination, indicated that the T-Tanks were operating under a MOVP of 0.91 kPa. The regulatory limit for level 1 Controls is at 5.2 kPa for tanks greater than 151 cubic meters or 40,000 gallons. The T-Tanks, which are greater than 151 cubic meters in volume (largest tanks at the facility) process the most volatile organics (no greater than 5% VOC) in any waste stream throughout the entire facility. The MOVP determinations performed verified that the tank Level 1 Controls that were in place were correctly determined.

Also, groundwater and post-closure care unit monitoring records were previously inspected for compliance as required by the permit.

There were internal communications and alarm systems in place at the facility to respond to all emergencies.

There were fire extinguishers throughout the facility that were inspected regularly.

#### **Closing Conference**

We summarized the results during the inspection. The inspection concluded at approximately 6:15 p.m.

Documents received during this inspection are as follows:

- Copies of the MOVP determinations for hazardous waste treatment and storage T-Tanks
- A copy of Vickery's inspection schedule
- A copy of the Tank Air Emissions Inspection of the Semi-Annual Inspection Report
- A copy of page 728 of Vickery's approved current permit, which included the employee RCRA annual training portion and the definition of annual review of the initial training
- A copy of OEPA's daily inspection log performed by Ms. Miller

Documents given to Vickery during this inspection are as follows:

- U.S. EPA Small Business Resources handout (compliance assistance)

A photo log is attached consisting of seven (7) photos taken by U.S. EPA during the inspection.



1. A view of deepwell No. 4 and the Annulus Pot leak detection system




2. A view of the aboveground piping run and leak detection system at the No. 4 deepwell and Pump House No. 2




3. A view of the Caustic Scrubber System



4. A view of the containment area for the T-Tanks



5. A view of the signage on one of the T-Tanks



6. A view of the top of the T-Tanks



7. Another view of the containment area for the T-Tanks

#### OHIO EPA – DHWM – NWDO VEI – DAILY INSPECTION LOG

INSPECTOR: Mary And	n Miller	DATE: 9-26	-07
WEATHER CONDITIONS			
Time: 930 cm Description: If "yes," what type of precipitation	Temp.: <u>70 °F</u> Precipitatio : Cloudy + +	Wind Direction: SW n during last 24 hours? Y/W hrevening rain	Speed: 4.0 M
Note: Please note the time and	details for any potei	ntial violations observed during insp precipitation accumulation.	pections (ex., Any
injection well MIT, tank replacem contractor visits, etc.	ent, etc.) Note: It is	mpling, contractor maintenance or fielpful to check all VEI visitor sign	i-in logs for
USEPA Inspection-B Cary Routsch Steve Lonnena Brett Miller	nian Ganouisci	h ? label - T-	Tark
Control	agon Courigion	APOT 1	2 easisted
Cary Redusering	nui j		
Here Lonnera	<i>(1)</i>		
Brett Miller			
MISCELLANEOUS INSPECTIO	N AREAS		
Perimeter fence secure & warnin Date and time on video tape corr Comments:	g signs in place rect, and video recor	der is operating	N N
LABORATORY			
Visible waste spills or leaks Waste drum properly closed, lab Spills or leaks reported to Vicker Comments:	eled and dated y Manager (Name)	N Accum. Date at (Ti	me)
	,		
Pump House	s	Injection Wells	5
	Pump House #2	<del> </del>	Injection Well #4
Waste drum properly closed, labeled & dated	(E) N	Annulus (Seal) pressure	750 psi
Accumulation date	9/11/07	Injection pressure	310 psi
FAT tank leaks, spills, or air emissions		Leaks observed	Y/1
Leaking piping, pumps or filter housings	YN	Diesel fuel level visible in seal pot sight glass	ŊN
Containment pad damage (e.g., cracks in corrosive resistant liner)	Y (N)	Time Checked	
Time Checked	10:01 am	Time	10.03an

Pump house # 2 + Well # 4 inspected at representative Wellpump house set up. Remainder mot inspected this date.

# CAPILLARY DRAIN GROUND WATER TANK (non-hazardous waste tank)

Comments:		
Capillary drain ground water leaking from piping or tank Y / N		
Leaks reported to Vickery Manager (Name)	at (Time)	

Injection W	ells	Pump Ho	uses
	Injection Well #5		Pump House #5
Annulus (Seal) pressure	psi	Waste drum properly closed, labeled & dated	Y/N
Injection pressure	psi	Accumulation date	
Leaks observed	Y/N	FAT tank leaks, spills, or air emissions	
Diesel fuel level visible in seal pot sight glass	Y/N	Leaking piping, pumps or filter housings	Y/N
Time Checked		Containment pad damage (e.g., cracks in corrosive resistant liner)	Y/N
Time		Time Checked	

Pump House	S	Injection Wells	Last)
	Pump House #3		Injection Well #2
Waste drum properly closed, labeled & dated	Y/N	Annulus (Seal) pressure	psi
Accumulation date		Injection pressure	psi
FAT tank leaks, spills, or air emissions	· 1/w	Leaks observed	Y/N
Leaking piping, pumps or filter housings	Y/N	Diesel fuel level visible in seal pot sight glass	Y/N
Containment pad damage (e.g., cracks in corrosive resistant liner)	Y/N	Time Checked	
Time Checked		Time	

Pump Houses	3	Injection We	lls
	Pump House #1		Injection Well #6
Waste drum properly closed, labeled & dated	Y/N	Annulus (Seal) pressure	psi
Accumulation date		Injection pressure	psi
FAT tank leaks, spills, or air emissions	4(N	Leaks observed	Y/N
Leaking piping, pumps or filter housings	Y/N	Diesel fuel level visible in seal pot sight glass	Y/N
Containment pad damage (e.g., cracks in corrosive resistant liner)	Y/N	Time Checked	
Time Checked		Time	

# MAINTENANCE SHOP

Visible used oil or waste spills/leaks	Used oil storage area acceptable?
Spills or leaks reported to Vickery Manager (Name) Waste drum properly closed, labeled and dated Comments:	at (Time) Accum. Date: 7(11/01

FII	TEF	≀ BI	)   [ ]	NIC	G #1
1 15-		`	,,_	_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	O 77 1

С	Comments:			·		-
th			spills or leaks, be sure to pumps that are located o			<u> </u>
F	ILTER BUILDING	<del>‡</del> 2				. •
V	/isible waste spills/le	eaks				D
S	Spills or leaks report	ed to Vickery Manag	er (Name) id dated Y / N	aa	t (Time)	_
Č	Containment pad da	mage (e.g., cracks in	id dated i / N i corrosive resistant liner)	Accum. Da	ne. <u>411707</u> Y M	<u> </u>
F	Roll-off box containir	ng waste is covered v	i corrosive resistant liner) when not in use		( <b>)</b> / k	ያ /
C	Comments:				······································	_/
-					,	<del>/</del>
	·. · ·			•	. /	
			s than 90 Days' Accumi		dg. #2 / Pad)	
$\vdash$	Box ID#	Empty / Full	Location	Leaking	Acçum, Date	
$\vdash$	VK14	MT / (Full)	Ridg #2 / Pad	Y /(1)	9/15/07	
_	VKIL	MT) Full	Bldg. #2 / Pad	Y/\$\vec{\psi}		
.  _	2641264	(M <sup>2</sup> ) / Full	and Bldg. #2 / Pad	Y/ <b>®</b>		
	VKU9		Pruf Bldg. #3 / Pad	Y/(Q)	1./	
<u> </u>	VVOI	MT /(Full)	Bidg. #2 /(Pad)	Y/(4)	\$ 15/09	
	204/252)	(M/D/ Full	Bldg. #2 /Pad)	Y /(V)		
_	VKOT	<b>9</b> 47 / Full	Bldg. #2 /(Pád)	Y (N, )		
L	VKIS	M7/Full	Bldg. #2 /(Pag)	Y /(N)		
	VKO4	(MD) Full ,	Bldg. #2 / Pad	~ Y/Q/		$\neg$
<b>z</b> _	31244	MT / Full proce	Bldg. #2 / Pad Phy	Z Y/K	, ,	Var
	VK12	MT / Full in	Bldg. #2 / Pad (oil)	J) Y(N)	9/24/01	
					110/10/1	
1	Aisle space adequat	le			Ø/ <u>N</u>	
F	Accumulation dates	over 90 days			X/0	) :
(	Containers closed, la	abeled & dated	******************************	***************************************	(Ý)/ N	
(	Comments:					
-	.,					
Г	Leaking Poll O	ff Boy Information	if Incident # sesioned	ill out Incident D	anaut au balana	<del></del> 7
-	Box #		if Incident # assigned, f		<del></del>	_
$\vdash$	DUX #	Location of 8	Reason for Leak	Amou	nt Incident#	
-	-		· · · · · · · · · · · · · · · · · · ·			
L						

# T-TANKS

Leaks/emissions reported to Vicker Containment pad damage (e.g., cra Visible air emissions from tanks Comments:	y Manager (Name) acks in corrosive resistant liner	at (Time) Y (N)
Precipitation accumulation	e previous logs) nulation in NW sump nump operating	Y/N Y/N Ø/N YØ
If "yes," is p Precipitation accun	oump operating nulation in SE pump	Y/N Y/N Y/N
	ISE (Pump labels are below	
PUMP	UNDER REPAIRS	LEAKING Y/N
T-2X T-2R	Y /(N) Y / N	Y/N
T-1R	Y/N	Y/N
T-1X	Y/N	Y/N
T-6X	Y/N	Y/N
T-6R	Y/N	Y/N
T-5R	Y/N	Y/N
T-5X	Y/N	Y/N
T-10X	Y/N	Y/N
	Y/N	Y/N
T-10R	Y/N	Y/N
T-9R T-9X	Y/00	Y/N)
1-9X	1700	1/0
Waste drum closed, labeled & date Liquid accumulation in South sump Liquid accumulation in North sump Visible waste spills or leaks	V/W	Accum. Date GIII 07  If "yes," is pump operating YN  If "yes," is pump operating YN  Containment pad damage YN  at (Time)
TRAILERS STAGING AREA – Pa  Total number of tankers in staging Visible waste spills or leaks  Spills or leaks reported to Vickery I Comments:	area:	erimeter of Unloading Building  Y (N)  at (Time)

VICOS	(M) / Full		Y/N	
VLOTA	(M) / Full	Other Other	Y/N	
	MT / Full		Y/N V/N	
	ivi i / ("UII		- Y/N	7.0-
ccumulation date ontainers closed	uate es over 90 days I, labeled & dated			
	anker Information (if Inc			
Box#	Location of & R	eason for Leak	Amount	Incident#
	·			
		·		
eaking roll-off(e)	reported to Vickery Mana	ager (Name)	ot (	(Time)
5(-/				/
Detectable odor . eaking from scru	ubber or scrubber piping Vickery Manager (Name)	.Y/N Visible	stack release other th	nan steam Y / N
Detectable odor . eaking from scrueaks reported to containment pad	ubber or scrubber piping Vickery Manager (Name damage (e.g., cracks in c	) corrosive resistant line	at (Time) er)	 
Petectable odor . eaking from scrueaks reported to containment pad comments:	o Vickery Manager (Name) I damage (e.g., cracks in c	) corrosive resistant line	at (Time) er)	 
eaks reported to containment pad comments:  SAMPLING BAY  Vaste leaking from the containment pad containment pad containment pad containment pad	o Vickery Manager (Name damage (e.g., cracks in c	corrosive resistant line  ay & V-Tank Vault)  Pole Rinsing System e or asphalt containm anager (Name) corrosive resistant line	at (Time) er)	Y/(
Detectable odor . eaking from scrueaks reported to Containment pad Comments:  SAMPLING BAY Vaste leaking from Vaste leaks or specific pad Comments and Comments pad Comments:	damage (e.g., cracks in control of the control of t	corrosive resistant line  ay & V-Tank Vault)  Pole Rinsing System e or asphalt containm anager (Name) corrosive resistant line	at (Time) er)	Y/(
Detectable odor eaking from screeaking from screeaks reported to Containment pad Comments:  SAMPLING BAY Vaste leaking from Vaste leaks or spontainment pad Comments:  V-TANKS Detectable odor Ddor / Leaks rep Ground water infinerications.	damage (e.g., cracks in control of the control of t	corrosive resistant line  ay & V-Tank Vault)  Pole Rinsing System e or asphalt containm anager (Name) corrosive resistant line  .Y / N Visible (Name) orth half of V-Tank va	Tank	

On-Site Roll-Off Box Log (Less than 90 Days' Accumulation) (Unloading Bldg.)

Box ID# Empty / Full Location Leaking Accum. Date

# UNLOADING BAY

Containers clos Accum. date on Spills or leaks r Containment pa Comments:	55-gallon dru	ım	912010	1 Visible v	vaste spills or leaks at (Tin	Y/Q
CONTROL RO	<u>ом</u>					
B. Incident Record C. Landfill D. Process E. Do the p (e.g., a any V-T	Report Log re any new incid leachate & ca s flow display p process flow d light on the pa anks) blems noted v	eviewe lents s pillary panel I isplay inel wi vhile re	ed in control r ince the last drain data re ights reviewe panel lights Il illuminate i	room?	cident Report Log are oom?are any problems?ing detected in the se	
			· · · · · · · · · · · · · · · · · · ·	•		
2 CON	NTROL ROOM	/I COM	1PUTER SCI 5	REENS 6	Time // Sum	ı Walls
844.5 psi	8762	psi	503.25	<u> </u>	Sool (Appulus) Pro	
336.8 psi	313.2	psi	54.1 ps	l n	Injection Pressure (	green)
<b>(</b> N)/N	(Y) N		Ø/ N	(Ŷ)/N	Seal Pot Level >0%	(purple)
Are the field readings for the annulus and injection pressures noted at the injection wells similar to their respective readings on the computer screens in the control room?						
INCIDENT REI	PORT LOG (Ir			e in control room)	· · · · · · · · · · · · · · · · · · ·	
Incident#	Date	Rep	Time orted to lio EPA	Location	a & Details	Amount Spilled
	l			•		

# TRAILERS STAGING AREA - Parking Lot Located South of Closure Cell

Total number of tankers in Visible waste spills or leaks	staging area:(0)		Y/ <b>N</b>
Visible waste spills or leaks Spills or leaks reported to \ Comments:	/ickery Manager (Name)_		at (Time)
MANIFEST REVIEW LOG	(manifest review for opera	ating dates since last inspe	ction)
Date	Loads Received	# Rejected Loads	# Leaking Loads
9-21-07	26	0	0
9-25-07	26	0	0
		·	
		-	
	-		• .

REJECTED	REJECTED / LEAKING LOAD LOG (If Generator or Transporter is foreign, write "foreign" in ID# boxes)						
Rejected / Leaking	Date	Time Reported to Ohio EPA	Generator ID#	Transporter ID#	Manifest Doc. #	Profile #	
R/L							
R/L							
R/L							

	OCKEPANC	LOG (If Gener		orter is fore	ign, write for		<u> </u>
Generator ID#	Profile #	Transporter ID#	Manifest Doc. #	Date	Amount	Pounds / Gallons	More / Less
						P/G	M/L
				·		P/G	M/L
			·			P/G	M/L
						P/G	M/L
,	-					P/G	M/L
						P/G	M/L
				•		P/G	M/L

# VICKERY ENVIRONMENTAL INC. OHD020273819 03-72-0191

# STATE PART B HAZARDOUS WASTE PERMIT INSPECTION CHECKLIST

U.S. EPA Region V September 26, 2007

OHIO PART B PERMITTED FACILITY

# RCRA INSPECTION CHECKLIST

			•			
Facility:	Vickery Enviror	nmental, Inc.	Ohio Perm	it: 03-72-	0191	
Address:	3956 State Rou Vickery, Ohio		USEPA ID:	: OHD0	20273819	
County:	Sandusky Cou	nty	Facility Pho	one: 419.54	7.7791	
Inspection Dat	e: Sept. 2	26, 2007				
	Time:_	_ 9:25 q.m.	- 6:15 p.m.	<u>.</u>		
Advance notic	e of inspection gi	ven? (yes)	_ (no) <u>X</u>			
If so, how far i	n advance?					
	<u>Name</u>		Agency/Title		<u>Phone</u>	
Inspectors:	Mary Ann Mi Gary Deutsc B՝۲Կոռ G۹ոյց	hman <sub>,</sub>	Ohio EPA Ohio EPA Uパ、モアA	419.3	47.6033 73.3056 886.0989	
Facility:	Steve Lonne Brett Miller	man	Vickery Vickery		47.7791 47.7791	
Is facility opera	ating as a genera	tor? (yes) X	(no)			
	e the applicable s managed under o		enerator Requiremer	nts checklist	for	
		<u>PEI</u>	RMIT STATUS			
Permit Issued Permit Effectiv Permit Renew Permit Expirat	re Date: al Date:	October 24, 19 October 24, 19 August 17, 200 August 17, 201	94 1			
<u>AUTHORIZED ACTIVITIES</u>						
STORAGE		TREATMENT	Γ.	,	DISPOSAL	
Contain X Tank Waste F Surface (closure	Pile Impoundment	Incinerator Thermal Tr X Tank X Miscellane (filtration)		<u>X</u>	Surface Impoundment Landfill Injection Well Land Application	

Y/N/NA

RMK#

	Y/N/NA	RMK#
GENERAL CONDITIONS OF PERMIT		
GENERAL PERMIT COMPLIANCE AND ACTIVITIES		
1. Is the expiration date of the permit passed? If so,	YesNo_x_N/A	***************************************
(a) Is the Permittee continuing any activity regulated by the permit after the expiration date of the permit?	YesNo_N/A_x_	· ·
(b) Has the facility submitted an application for a permit renewal to the Director no later than (180) days prior to the expiration date of the permit? (or upon a later date if the Permittee can demonstrate good cause for late submittal) [Condition A.6.(a)]	YesNo □ N/A_x	
NOTE: The Permittee may continue to operate in accordance with the terms and conditions of the expired permit until a renewal permit is issued or denied if:		
<ul><li>(i) The Permittee has submitted a timely and complete application for a renewal permit under O.A.C. Rule 3745-50-40, and;</li></ul>		
<ul><li>(ii) Through no fault of the Permittee, a new permit has not been issued pursuant to O.A.C. Rule 3745-50-40 on or before the expiration date of the permit. [Condition A.6.(b)]</li></ul>		
2. Has the Permittee submitted the annual permit fee, payable to Treasurer of the State, to the Ohio EPA on or before the anniversary of the date of issuance during the term of the permit [Condition A.26.]?	Yes_x_No 🗇 N/A	
3. Is the Permittee conducting any hazardous waste management activities (not otherwise exempt by law) which are not authorized by the permit [Condition A.1.(b) and A.5]?	Yes □ No _x_ N/A	Proceedings.
4. Have any provisions of the permit been identified as invalid? [Condition A.4]	Yes 🗓 No _x_ N/A	
<ol> <li>In circumstances where the Permittee has needed to unload waste during "off hours" (from 11:00 p.m. to 7:00 a.m.): Has prior notice been provided to Ohio EPA, NWDO? [Condition A.30.]</li> </ol>	YesNo □ N/A_x_	
6. Has the facility identified any instances of noncompliance with the permit, R.C. Chapter 3734 or the rules adopted thereunder, which may endanger human health or the environment? If so,	YesNo_x_N/A	
(a) Did the facility report the incident to Ohio EPA's Division of Emergency and Remedial Response within within two hours from becoming aware of the circumstances? [Condition A.21.(a)]	YesNoN/A_x_	

•	Y/N/NA	RMK#
(b) After initial notification, did the facility immediately report to Ohio EPA's Emergency Response Section any subsequent changes in the situation as conditions warranted until such time as all information as required by Condition A.21.(b) was submitted?	YesNo □ N/A_x	
NOTE: See Condition A.21.(b) for the specific information the Permittee is required to report.	1	
7. Did the Permittee provide a written report to the Ohio EPA Emergency Response Section and DHWM, NWDO within (5) days of the time the Permittee became aware of the circumstances reported in Question 6? [Condition A.21.]	YesNo □ N/A_x	
If so, did the report contain:		
(a) A description of the noncompliance (including exact dates and times)?	YesNo □ N/A_x_	
(b) Whether the noncompliance has been corrected and if not, the anticipated time noncompliance is expected to continue? and;	YesNo 🗇 N/A_x	
(c) Steps taken or planned to minimize the impact on human health and the environment and to reduce and prevent recurrence of the noncompliance?	YesNo □ N/A_x_	
<b>NOTE:</b> The Permittee need not comply with the five day written report requirement if the Director, upon good cause shown by the Permittee, waives that requirement and the Permittee submits a written report within fifteen days of the time the Permittee becomes aware of the circumstances. [Condition A.21.(c)]		
8. Has the Permittee expeditiously taken all steps necessary to minimize or correct any adverse impact on the environment or public health resulting from noncompliance with the permit? [Condition A.8.]	YesNo 🗇 N/A_x	
9. Has the Permittee identified any other instances of noncompliance not provided for in Question #6?	YesNo_x_N/A	
(a) If so, did the Permittee report these instances to the Ohio EPA, DHWM within (30) days of becoming aware of the noncompliance? [Condition A.22.]	YesNo □ N/A_x_	
(b) Do the reports provided contain the information set forth in Condition A.20? [Condition A.22.]	YesNo □ N/Ax_	
(c) Has the Permittee expeditiously taken all steps necessary to minimize or correct any adverse impact on the environment or public health resulting from noncompliance with the permit? [Condition A.8.]	YesNo □ N/Ax_	· <del></del>
10. Has the Permittee planned any changes in the permitted facility or activity which may result in noncompliance with the conditions of the permit?	YesNo_x_N/A	

	Y/N/NA	RMK#
(a) If so, has the facility provided Ohio EPA with advance notice of such changes? [Condition A.15.]	YesNo □ N/A_x_	
<b>NOTE:</b> Such notification does not waive the Permittee's duty to comply with the permit pursuant to Condition A.5. and A.15.	d.	
PERMIT MODIFICATION, REVISION, REVOCATION	•	
11. Has the Permittee filed a request for a permit modification, revision or revocation since issuance of the permit? [Condition A.2.]	Yes_x_NoN/A	····
12. Has the permit been transferred to a new owner or operator? [Condition A.18.]	YesNo_x_N/A	
(a) If so, has the transfer been conducted in accordance with R.C. Chapter 3734 and the rules adopted thereunder? [Condition A.18.(a)] and;	YesNo □ N/A_x_	
(b) Before transferring ownership did the Permittee notify the new owner in writing of the requirements of R.C. Chapter 3734 and the rules adopted thereunder and the applicable Ohio hazardous waste rules? [Condition A.18.(a)]	YesNo □ N/A_x	
<b>NOTE:</b> The Permittee's failure to notify the new owner or operator of the requirements of the applicable Ohio law or hazardous waste rules does not relieve the new owner or operator of its obligation to comply with all applicable requirements. [Condition A.18.(b)]		
13. Has the Permittee submitted reports of compliance or non-compliance with, or any progress reports on the requirements contained in any compliance schedule of the permit to the Ohio EPA no later than (14) days following each scheduled date, unless otherwise specified? [Condition A.19.]	YesNo ☐ N/A_x	<b></b>
14. Has the Permittee furnished relevant information which the Ohio EPA has requested to determine whether cause exists for modifying, revising, revoking or suspending the permit, or to determine compliance with the permit? [Condition A.10.]	Yes_x_No □ N/A	
15. Has the facility furnished Ohio EPA, upon request, with copies of records required to be kept by the permit? [Condition A.10]	Yes_xNo	
16. Has the Permittee become aware that it failed to submit any relevant facts in the permit or issuance proceedings or that it submitted incorrect or incomplete information in permit issuance proceedings or other submissions to Ohio EPA or the HWFB? If so,	YesNo_xN/A	<u></u>
(a) Has the Permittee promptly submitted such facts or corrected information to the appropriate entity? [Condition A.24.]	YesNo □ N/A_x_	
17. Is the Permittee maintaining records of all data used to complete the		

	Y/N/NA	RMK#
approved application and any amendments, supplements, revisions or modifications to the application? [Condition A.14.(c)]	Yes_x_No ☐ N/A	·
18. Is the Permittee retaining a complete copy of the approved application on-site? [Condition A.14.(c)]	Yes_x_No ☐ N/A	
19. Is the Permittee planning any physical alterations or additions to the permitted unit(s)?	YesNo_x_N/A	P
(a) If so, has the Permittee given notice to the Director of such alterations/additions? [Condition A.15.]	YesNo □ N/A_x_	
(b) Have such changes been made in accordance with O.A.C. Rule 3745-50-51? [Condition A.15.]	YesNo □ N/A_x_	
SITE ENTRY - AVAILABILITY OF RECORDS		
20. As specified in Condition A.11, has the Permittee allowed the Director or an authorized representative, upon proper identification and upon stating the purpose and necessity of an inspection, to:		
(a) Enter at reasonable times upon the premises where a regulated activity is located or where records are kept under the conditions of the permit? [Condition A.11.(a)(i)]	Yes_x_No ☐ N/A	
(b) Have access to and copy any records required to be kept under the conditions of the permit? [Condition A.11.(a)(ii)]	Yes_x_No ☐ N/A	
(c) Inspect and photograph at reasonable times facilities, equipment (including control and monitoring equipment), practices or other operations regulated under the conditions of the permit? [Condition A.11.(a)(iii)]	Yes_x_No □ N/A	
(d)Sample or monitor any substance or parameter at any location of the facility to assure compliance with the permit or as otherwise authorized by R.C. Chapter 3734 and the rules adopted thereunder? [Condition A.11.(a)(iv)]	Yes_xNo □ N/A	
21. Has the permittee furnished Ohio EPA with requested records and retained requested records at the facility? [Condition B.21.]	Yes_xNo ☐ N/A	

	Y/N/NA	RMK#
RECORDKEEPING REQUIREMENTS		
CONFIDENTIALITY		
1. Has the Permittee requested confidentiality of any information of the permit in accordance with R.C. Chapter 3734 and the rules adopted thereunder? [Condition A.25.]	YesNo_X_N/A	<del></del>
OPERATING RECORD		•
2. Is the Permittee maintaining a written operating record at the facility as set forth in O.A.C. Rules 3745-54-73 and 3745-54-74 which contains the following elements: [Condition B.22.]		
(a) A description and the quantity of each hazardous waste received?	Yes_xNo	
(b) Method(s) and date(s) of treatment, storage or disposal at the facility?	Yes_xNo	- - -
(c) The location of each hazardous waste within the facility and the quantity at each location?	Yes_x_No □ N/A	
3. Is the Permittee maintaining, until closure is complete and certified, the following documents and amendments, revisions and modifications to these documents: [Condition A.28.]		
(a) Waste analysis plan in accordance with O.A.C. Rule 3745-54-13 and the conditions of the permit? [Condition A.28.(a)(i)]	Yes_xNo □ N/A	·
(b) Contingency plan in accordance with O.A.C. Rule 3745-54-53 and the conditions of the permit? [Condition A.28.(a)(ii)]	Yes_xNo ☐ N/A	
(c) Closure plan in accordance with O.A.C. Rule 3745-55-12 and the conditions of the permit? [Condition A.28.(a)(iii)]	Yes_xNo □ N/A	
(d)Post-Closure plan as required by O.A.C. Rule 3745-55-18(A) and the conditions of the permit? [Condition A.28.(a)(viii)]	Yes_xNo ☐ N/A	
(e) Cost estimate for facility closure in accordance with O.A.C. Rule 3745-55-42 and the conditions of the permit? (estimate only - adequacy of estimate will be evaluated by C.O. financial assurance personnel) [Condition A.28.(a)(iv)]	Yes_xNo ☐ N/A	<del></del>
(f) Personnel training plan and records required by O.A.C. Rule 3745-54-16 and the conditions of the permit? [Condition A.28.(a)(v)]	Yes_x_No □ N/A	
(g) Inspection schedules developed in accordance with O.A.C. Rules 3745-54-15 and O.A.C. Rule 3745-55-74 and the conditions of the permit? [Condition A.28.(a)(vii)]	Yes_x_No D N/A	

	Y/N/NA RM	K#
(h) Annually-adjusted cost estimate for facility closure required by O.A.C. Rule 3745-55-42 and O.A.C. Rule 3745-55-44 and the conditions of the permit? [Condition A.28.(a)(ix)]	Yes_xNo □ N/A	
(i) Operating record required by O.A.C. Rule 3745-54-73 and the conditions of the permit? [Condition A.28.(a)(vi)]	Yes_xNo	_
(j) All other documents by the permit? [Condition A.28.(a)(x)]	Yes_xNo	_
4. Have any of the documents identified in Question #3 been revised as required by the permit? If so,	Yes_xNoN/A	_
(a) Has the Permittee submitted the revisions to the Ohio EPA? [Condition A.28.(b)]	Yes_x_No	
(b) Has the Permittee received approval in accordance with Ohio hazardous waste rules to make such changes? [Condition A.28.(b)]	Yes_xNo	
5. Is the Permittee maintaining copies of all inspection logs at the facility for a period of at least three years from date of inspection? [Condition A.28.(c)]	Yes_xNo □ N/A	
6. Is the Permittee maintaining Corrective Action reports and records as required by Condition E.5. and E.8? [Condition A.28.(d) and A.14.(e)]	Yes_x_No □ N/A	
(a) Are these reports and records being maintained for at least 3 years after all activities have been completed? [Condition A.28.(d) and A.14.(e)]	Yes_xNo	
7. Is the Permittee maintaining records for all groundwater monitoring wells and associated ground water surface elevations for the active life of the facility? [Condition A.14.(d)]	Yes_xNo □ N/A	<del></del>
8. Has the Permittee maintained all monitoring information, including calibration and maintenance records, copies of all reports and records required by this permit, the certification required by OAC 3745-54-73(B)(9), and records of all data used to complete the application for this permit, for a period of at least three years? [Condition A.14.(a)]	Yes_x_No ☐ N/A	
ANNUAL REPORT REQUIREMENT		
9. Is the Permittee complying with annual report requirements set forth in O.A.C. Rule 3745-54-75 and the additional report requirements set forth in O.A.C. Rule 3745-54-77 and the conditions of the permit? [Condition B 25.]	Yes_xNo	

	1/W/WA	RIVIN
SAMPLING/MONITORING RECORDKEEPING REQUIREMENTS		
10. In compliance with Condition A.12.(b) of the permit, do the Permittee's ecords of monitoring information specify the:		
(a)Date(s), exact place(s), and time(s) of sampling or measurements?	Yes_xNo □ N/A	***
(b) Individual(s) who performed the sampling or measurements?	Yes_xNo □ N/A	
(c) Date(s) analyses were performed?	Yes_xNo 🗖 N/A	
(d) Individual(s) who performed the analyses?	Yes_xNo □ N/A	
(e)Analytical technique(s) or method(s) used?	Yes_xNo	***************************************
(f) Results of such analyses?	Yes_x_No □ N/A	
11. Have the methods used to obtain a representative sample of the waste to be analyzed included the appropriate SW-846 method or an equivalent method specified in the approved waste analysis plan? [Condition A.12.(a)]	Yes_x_No □ N/A	
12. Has Ohio EPA requested submittal of any reports or other information required by the conditions of the permit from the Permittee? If so,	Yes_xNoN/A	
(a) Have the submittals been signed and certified according to O.A.C. Rule 3745-50-42? [Condition A.13.]	Yes_xNo ☐ N/A	
WASTE MINIMIZATION REQUIREMENTS		
13. Did the Permittee submit a current executive summary of the waste minimization and treatment plan within 180 days of journalization of the permit?	Yes_xNo 🗇 N/A	
(a) Has the Permittee submitted a Waste Minimization Report to Ohio EPA meeting the requirements of Condition A.29. of the permit every three years. [Condition A.29]	Yes_xNo ☐ N/A	
OFF-SITE SHIPMENTS/MANIFEST REQUIREMENTS		
1. Is all hazardous waste transported from the facility by a properly registered transporter of hazardous waste in accordance with all applicable laws, rules and standards? [Condition A.16.]	Yes_xNo □ N/A	
2. Is the Permittee complying with the following manifest requirements set forth in O.A.C. Chapter 3745-52 and O.A.C. Rules 3745-54-70, 3745-54-71, 3745-54-72 and 3745-54-76: [Condition B.24.]	. •	
(a) All hazardous wastes shipped off-site have been accompanied by a completed manifest, USEPA form 8700-22 and, if necessary, USEPA form 8700-22A in compliance with O.A.C. Bule 3745-52-20(A)?	Yes_xNo ☐ N/A	

	Y/N/NA	RMK#
(b) The manifest form used contains all information required by O.A.C. Rule 3745-52-20 and the minimum number of copies required by O.A.C. Rule 3745-52-22?	Yes_xNo	
(c) The facility has designated at least one permitted disposal facility and has/will designate an alternate facility or instructions to return waste in compliance with O.A.C. Rule 3745-52-20(C)(D)(E)?	Yes_xNo	de Propinsion de la companya del companya del companya de la compa
(d)Prepared manifests have been signed by the facility and initial transporter in compliance with O.A.C. Rule 3745-52-23?	Yes_xNo 🗖 N/A	
3. Has the Permittee received a return copy of each completed manifest within (35) days of the date the waste was accepted by the initial transporter?	Yes_x_NoN/A	
(a) If not, has the Permittee complied with the manifest exception reporting requirements of O.A.C. Rule 3745-52-42?	YesNo □ N/A_x_	
4. Has the Permittee discovered a significant discrepancy in a manifest since the date of last inspection? If so,	Yes x No N/A	
(a) Did the Permittee reconcile the discrepancy within (15)days?	Yes _x No 🗆 N/A	
(b) If the discrepancy was not reconciled within (15) days: Did the Permittee submit a manifest discrepancy report along with a copy of the manifest to the Director in accordance with O.A.C. Rule 3745-54-71? [Condition B.24.(b)]	YesNo □ N/A_x	
5. Has the Permittee accepted any hazardous waste from off-site without a manifest since the date of last inspection?	Yes_xNoN/A	
(a) If so, did the Permittee submit an unmanifested waste report to the Director within (15) days of receipt of the waste? [Condition B.24.(c)]	Yes_x_No ☐ N/A	
6. Are signed copies of all hazardous waste manifests and any documentation required for exception reports retained for at least three years at the facility as required by O.A.C. Rule 3745-52-40?	Yes_xNo	
7. Has the Permittee received any hazardous waste on-site from a foreign source? If so,	Yes_x_No_N/A	
(a) Did the Permittee notify the Director in writing at least four weeks in advance as required by O.A.C. Rule 3745-54-12(A)? [Condition B.2.(a)]	Yes_xNo 🗇 N/A	
NOTE: Notice of subsequent shipments of the same waste from the same foreign source is not required. [Condition B.2.(a)]		
8. Has the Permittee received waste from an off-site source? If so,	Yes_xNoN/A	

(a) Did the Permittee inform the generator that the facility has the appropriate

	Y/N/NA	RMK#
permits to accept the waste which is being shipped? [Condition B.2.(b)]	Yes_xNo □ N/A	
(b) Is the Permittee maintaining a copy of the written notice(s) as part of the operating record? [Condition B.2.(b)]	Yes_x_No □ N/A	
NOTE: The above requirements are not applicable if the Permittee is also the off- site generator. [See Condition B.2.(b)]		
GENERAL REQUIREMENTS		
9. Does the Permittee have a detailed chemical and physical analysis of waste streams which contains all information which is necessary to properly treat, store or dispose of the waste in accordance with O.A.C. Chapters 3745-54 to 3745-57 and Condition B.3 of the permit? [3745-54-13(A)(1)]	Yes_xNo	
10. Since the last inspection, were there any wastes generated by the facility which were unable to be characterized through process knowledge? If so,	YesNo_x_N/A	
(a) Were the waste analysis procedures described in Appendix 1 of the approved permit application followed?	YesNo □ N/A_x_	~
11. Is the Permittee following the procedures described in the approved waste analysis plan (Appendix 1 of approved permit application) and the requirements of O.A.C. Rule 3745-54-13? [Condition B.3.]	Yes_x_No □ N/A	•
12. Is the Permittee using a contract laboratory?	Yes_xNoN/A	
(a) If so, has the permittee informed the laboratory in writing that it must operate under the waste analysis conditions set forth in the permit? [Condition B.3.]	Yesx_No ☐ N/A	
<u>WASTE ANALYSIS</u>		
QUALITY ASSURANCE REQUIREMENTS		
1. Is the Permittee verifying the analysis of each waste stream annually as part of its quality assurance program in accordance with SW-846? [Condition B.3.]	Yes_x_No □ N/A	
2. In accordance with Condition B.3. of the permit, does the Permittee's quality assurance plan ensure that the Permittee is, at a minimum: [Condition B.3.]		
(a) Maintaining proper functional instruments?	Yes_x_No 🗇 N/A	· · · · · · · · · · · · · · · · · · ·
(b) Using approved sampling/analytical methods?	Yesx_No ☐ N/A	
(c) Verifying the validity of sampling and analytical procedures and performance of correct calculations?	Yes_x_No □ N/A	

	Y/N/NA	RMK#
WASTE PROFILES		
3. Prior to accepting a waste stream does the Permittee obtain:		
(a) Generator name, US EPA identification number, profile number? [Condition B.3.(a)(i)]	Yes_x_No ☐ N/A	
(b)Common or generic name of the hazardous waste? [Condition B.3.(a)(ii)]	Yes_x_No ☐ N/A	
(c) Process generating the hazardous waste or the source of the hazardous waste? [Condition B.3.(a)(iii)]	Yes_x_No □ N/A	
(d)Physical description of the hazardous waste? [Condition B.3.(a)(iv)]	Yes_x_No □ N/A	1-de-Photogramman and consumer and
(e) Major chemical or physical components of the hazardous waste by percent of the component per 100 percent of the hazardous waste? [Condition B.3.(a)(v)]	Yes_xNo □ N/A	
(f) Documentation supporting the generator's knowledge of the waste, analytical data, or a combination of the two which adequately characterizes the waste such that it may be treated, stored, or disposed of in accordance with this permit, Chapters 3745-54 to 57, 3745-218 and 3745-270 of the Ohio Administrative Code? [Condition B.3.(a)(vi)]	Yes_x_No □ N/A	
(g)RCRA hazardous waste description? [Condition B.3.(a)(vii)]	Yes_x_No □ N/A	
(h) Specific handling instructions needed to manage the waste in accordance with the permittee's permit? [Condition B.3.(a)(viii)]	Yes_xNo	
(i) Date and signature of the generator certifying that the information is correct? [Condition B.3.(a)(ix)]	Yes_x_No □ N/A	<u></u>
NEW WASTE MANAGEMENT PROCEDURES		
4. Has the Permittee initiated a new procedure for nitric acid?[Condition B.42]	YesNo_x_N/A	
(a) If so, did the permittee notify the Ohio EPA prior to initiating the new waste management procedures?	YesNo □ N/A_x_	

## NITRIC ACID WASTE STREAM/SPECIAL REQUIREMENTS

5. Upon receipt of nitric acid waste streams at the facility, is the Permittee

	Y/N/NA	RMK#
complying with the following procedures as outlined in Condition B.43.:		
(a) Does the lab assess the millivolt potential to determine the compatibility of the waste stream to the storage tank?	Yes_xNo 🗇 N/A	
(b) Prior to blending nitric acid streams, approval is obtained from the lab manager or his/her qualified designee?	Yes_xNo 🗇 N/A	
(i) If an approval signature cannot be obtained prior to blending: The verbal approval of the lab manager or designee is obtained and the Waste Compatibility Worksheet is signed the next working day?	Yes_xNo □ N/A	<u> </u>
ACCEPTANCE OF "P" WASTE CODES		
6. Has the Permittee received approval from Ohio EPA prior to receipt of any "P-coded" waste streams in accordance with ORC 3734.141 and Condition B.4. of the permit?	Yes_xNo	
NOTE: The Permittee may only accept P-coded waste streams that follow the derived from or carry through provisions or that the Permittee can render innocuous prior to deep well injection. Approval of a waste stream by Ohio EPA as part of the Waste Product Review satisfies all notification requirements of ORC 3734.141. [Condition B.4.]		
<u>LAND DISPOSAL RESTRICTIONS</u>		
GENERAL REQUIREMENTS FOR LAND DISPOSAL RESTRICTIONS		
1. Did the Permittee comply with all regulations regarding land disposal prohibitions and restrictions as required by O.A.C. 3745-270 [Condition B.40.(a)]	Yes_x_No ☐ N/A	
2. Does the Permittee mix restricted waste with nonrestricted waste? [OAC Rule 3745-270-03(A)]	Yes_xNoN/A	4-1Ade-Marketon
(a) If so, is the mixture treated as a restricted waste? [OAC Rule 3745-51-03(B)(2)	Yes_xNo ☐ N/A	
3. Does the Permittee dilute a restricted waste or a treatment residue from a restricted waste? [Condition B.40.(a) & OAC Rule 3745-270-03(A)]	Yes_xNoN/A	
(a) If so, is it done as a substitute for adequate treatment to achieve compliance with LDR treatment standards?	Yes □ No_xN/A	
(b) If so, is it done to circumvent the effective date of a prohibition?	Yes □ No _x N/A	
(c) If so, is it to avoid a prohibition in O.A.C. 3745-270-30 through 3745-270-35?	Yes □ No_xN/A	

	Y/N/NA	RMK#
(d) If so, is it to avoid a prohibition imposed by Section 3004 of RCRA?	Yes □ No _x N/A	
4. Does the Permittee test any waste generated at the facility, or use knowledge of the waste, to determine if the waste is restricted form land disposal? [Condition B.40.(a) & OAC Rule 3745-270-07(A)(1)]	Yes_xNo	
5. Does the Permittee comply with all the applicable notification, certification and recordkeeping requirements described in O.A.C. Rule 3745-270-07? [Condition B.40.(a)]	Yes_x_No □ N/A	
6. Does the Permittee comply with all the applicable prohibitions on storage of restricted waste as specified in O.A.C. Rule 3745-270-50 [Condition B.40.(a)]	Yes_xNo	
7. Did the Permittee store restricted wastes in tanks solely for the purpose of the accumulation of such quantities of hazardous wastes as necessary to facilitate proper recovery, treatment or disposal? [Condition B.40.(a) & OAC Rule 3745-270-50(A)(2)]	Yes_xNoN/A	
(a) If so, was each tank clearly marked with a description of its contents, the quantity of each hazardous waste received, and the date each period of accumulation begins, or such information for each tank is recorded and maintained in the operating record at that facility?	Yes_x_No ☐ N/A	
8. Has the Permittee stored restricted wastes for up to one year? [Condition B.40.(a) & OAC Rule 3745-270-50(B)]	Yes_x_NoN/A	
(a) If so, was such storage for the sole purpose of accumulating such quantities necessary to facilitate proper recovery, treatment or disposal?	Yes_xNo ☐ N/A	
9. Has the Permittee stored restricted wastes beyond one year? [Condition B.40.(a) OAC Rule 3745-270-50(C)]	YesNo_xN/A	
(a) If so, was such storage for the sole purpose of accumulating such quantities necessary to facilitate proper recovery, treatment or disposal?	YesNo	
10. Has the permittee stored any liquid containing PCBs at concentrations greater than or equal to 50 ppm? [Condition B.40.(a)]	YesNo_x_N/A	
(a) If so, was it stored according to 40 CFR 761.65(b) and removed from storage and treated or disposed as required by OAC Rule 3745-270-50(F) within one year?	YesNo 🗇 N/A_x	
WASTE EVALUATION REQUIREMENTS		
11. Has the facility adequately evaluated all wastes to determine if they are restricted from land disposal? [O.A.C. Rule 3745-270-07(A); Condition B.40.(a)]	Yes_x_No □ N/A	<del></del>
(a.) For determinations based solely on knowledge of the waste:		

	,	Y/N/NA	RMK#
Is supporting data used to make this determ site? [O.A.C. Rule 3745-270-07(A)(5); Condi		Yes_x_No ☐ N/A	
(b.) For determinations based upon an waste analysis data being retained on-site? 07(A)(5); Condition B.40.(a)]		Yes_x_No ☐ N/A	
12. Has the generator determined the correct "trewaste restricted from land disposal (e.g. wastewater arsenic, low arsenic, high zinc, low zinc, etc.)? [O.A. Condition B.40.(a)]	, non-wastewater, high	Yes_x_No □ N/A	
<ol> <li>Has the generator correctly determined if resexceed treatment standards? [O.A.C. Rule 3745-27</li> </ol>		Yes_x_No □ N/A	
14. Does the entity generate any listed waste(s) valued disposal? If so,	which are restricted from	Yes_x_NoN/A	<del></del>
(a) Do such wastes also exhibit hazardo identified in O.A.C. Rules 3745-51-20 to 374		Yes_x_NoN/A	
(b) For listed wastes which also exhib the generator also identify the appropriate to constituent(s) which cause the waste to exh [O.A.C. Rule 3745-270-09(A)]	eatment standard for the	Yes_x_No □ N/A	
NOTE: The generator is not required to identify the t characteristic if the listing covers the associ F019/D007 hazardous waste - F019 being I content and D007 being the characteristic w [See O.A.C. Rule 3745-270-09(B)]	ated char-acteristic (e.g. a isted due to chromium		
NOTIFICATION/CERTIFICATION			
15. For wastes that do not meet treatment starshipment of waste to each off-site treatment or storagenerator send a one-time written notice to each treindicates that the wastes being received do not meet [OAC Rule 3745-270-07(A)(2); Condition B.40.(a)]	age facility, does the atment or storage facility that	Yes_xNo	***************************************
If so, does the notification include the following	ng:		
(a) EPA hazardous waste number? [O.A. Condition B.40.(a)]	A.C. Rule 3745-270-07(A)(2);	Yes_xNo 🗇 N/A	·
(b) Appropriate treatment standard for t 3745-270-07(A)(2); Condition B.40.(a)]	he waste? [O.A.C. Rule	Yes_x_No □ N/A	
(c) The manifest number associated with	th the shipment of waste?		

	Y/N/NA	RMK#
[O.A.C. Rule 3745-270-07(A)(2); Condition B.40.(a)]	Yes_x_No D N/A	
(d) Waste analysis data, where available? [O.A.C. Rule 3745-270-07(A)(2); Condition B.40.(a)]	Yesx_No □ N/A	
16. Is the one-time written notice identified in Question 16 submitted with the initial shipment of waste? [O.A.C. Rule 3745-270-07(A)(2); Condition B.40.(a)]	Yes_x_No □ N/A	
INSPECTION AND SECURITY		
GENERAL INSPECTION REQUIREMENTS		
1. Is the Permittee following the inspection procedures and schedules described in Appendix 2 of the approved permit application and the requirements of O.A.C. Rule 3745-54-15? [Condition B.6.]	Yes_xNo ☐ N/A	
2. Does the Permittee inspect the facility with such regularity as to identify problems resulting from deterioration, malfunctions, operator errors or discharges which may lead to a release of hazardous waste to the environment or a threat to human health? [O.A.C. Rule 3745-54-15(A)(1)(2)]	Yes_xNo ☐ N/A	
3. Is the Permittee following the approved inspection schedule for inspecting: monitoring equipment, safety equipment, emergency equipment, security devices and operating and structural equipment as specified in O.A.C. Rule 3745-54-15(1)?	Yes_xNo ☐ N/A	
(a) Is the schedule kept at the facility? [O.A.C. Rule 3745-54-15(B)(2)]	Yes_xNo ☐ N/A	
(b) Does the schedule identify the types of problems which are to be looked for during the inspection? [O.A.C. Rule 3745-54-15(B)(3)]	Yes_x_No   N/A	
(c) Does the schedule include inspection of areas subject to spills daily when in use and according to other applicable regulations when not in use? [O.A.C. Rule 3745-54-15(B)(4)]	Yes_x_No □ N/A	
4. Does the Permittee remedy deterioration or any malfunctions discovered by an inspection as required by O.A.C. Rule 3745-54-15(C)? [Condition B.6.]	Yes_xNo 🗇 N/A	
5. Is the Permittee maintaining records of inspections for a minimum of three years? [Condition B.6.]	Yes_x_No 🗇 N/A	
6. In accordance with O.A.C. Rule 3745-54-15(D) and Condition B.6. of the permit, do inspection records contain the following information:		
(a) Date and time of inspection?	Yesx_No ☐ N/A	
(b) Signature of inspector?		

			Y/N/NA	RMK#
			Yes_xNo  N/A	
(0	c)	Notation of observations made?	Yes_x_No□ N/A	
(0	d)	Date/nature of any repairs or other remedial actions?	Yesx_No	
SECURIT	TY PRO	OVISIONS/FACILITY OPERATION		
3745-54	l-14 an	ermittee complying with the security provisions of O.A.C. Rule d Section F of the approved permit application, including the dition B.5.]		
,	a) continu facility	Does the Permittee have a 24-hour surveillance system which uously monitors and controls entry onto the active portion of the , or;	Yes_xNo	
	(b) surrou	An artificial or natural barrier (in good repair) which completely nds the active portion of the facility, or;	Yes_x_No ☐ N/A	
	(c) entran	A means to control entry, at all times, through gates or other ces, to the active portion of the facility?	Yes_x_No □ N/A	
signs re entranc	eading ' e and a	rdance with O.A.C. Rule 3745-54-14(C), does the Permittee have "Danger-Unauthorized Personnel Keep Out" posted at each at other locations and in sufficient numbers to be seen when he active portion of the facility? [Condition B.5.]	Yes_xNo ☐ N/A	
to minin sudden	nize the releas	truction, maintenance and operation of the facility being conducted e possibility of a fire, explosion, or unplanned sudden or none of hazardous waste or hazardous waste constituents to air, soil ace waters? [Condition B.1.(a)]	Yes_x_No □ N/A	
unobstr	ucted r	Permittee maintaining adequate aisle space to allow for the movement of equipment and personnel through the facility in the nergency as required by O.A.C. Rule 3745-54-35? [Condition	Yes_x_No □ N/A	· .
PERSOI	NNEL	TRAINING		
Append	dix 4 of	acility conducting personnel training in accordance with Section H, the approved permit application and the following requirements of 745-54-16: [Condition B.7.]	Yes_x_No ☐ N/A	
1		The facility provides personnel training which includes instruction e equipment operation and emergency procedures and mentation of the contingency plan? [O.A.C. Rule 3745-54-	Yes_xNo □ N/A	

			\//B!/B! A	17 0 81/11
	16(A)(B)	)(C)]	Y/N/NA	RMK#
	(b) T	The facility provides personnel training to new employees within 6 after their date of employment as required by O.A.C. Rule 3745-	Yes_x_No	
	(c) T required	The facility provides an annual refresher training course as by O.A.C. Rule 3745-54-16(B)? 4 Per permit language that defines annual as calendar year	Yes <u>⊁</u> No N/A	3
job tit	Is the Per C. Rule 374	rmittee maintaining personnel training records as required by 5-54-16(D) and of the approved application, including; written scriptions and documented employee training records?	Yes_x_No □ N/A	
REQU	IRED EQU	IIPMENT .		
		rmittee, at a minimum, maintaining the equipment set forth in the application (Sections F and G and Appendix 3) at the facility?	Yes_x_No 🗇 N/A	
Rule	fied in Que	rmittee inspecting, testing and maintaining the equipment stion #13 to assure its proper operation as specified in O.A.C. 3, the inspection plans and the approved permit application?	Yesx_No	
to an	ittee provid internal ala 3745-54-34	er hazardous waste is being managed at the facility, has the led all personnel involved in the operation with immediate access arm or emergency communication device as required by O.A.C. 4 and Section F of the approved permit application? [Condition	Yes_x_No □ N/A	
		CONTINGENCY PLAN REQUIREMENTS		
EMER	GENCY PI	ROCEDURES		
1.	In compli	ance with Condition B.13.(a), does the Permittee:		
		Familiarize the emergency response agencies likely to respond to rgency at the facility with:		
	(	i) The layout of the facility? [Condition B.13.(a)(i)]	Yes_x_No □ N/A	
		ii) Properties of hazardous waste managed at the facility and associated hazards? [Condition B.13.(a)(iii)]	Yes_xNo	
	(	iii) Places where facility personnel will normally be working? [Condition B.13.(a)(i)]	Yes_x_No □ N/A	

		i .	Y/N/NA	RMK#
	(iv) B.13	Entrances to and roads inside the facility? [Condition 3.(a)(i)]	Yes_xNo ☐ N/A	
	(iv	Evacuation routes as depicted in Section G of the permit application? [Condition B.13.(a)(i)]	Yes_x_No □ N/A	
	app	Inform emergency response agencies of safety ipment, supplies, proper emergency procedures that are licable to the facility, and any further requirements imposed he permit? and; [Condition B.13.(a)(ii)]	Yes_x_No □ N/A	
	pro <sub>l</sub> type exp	Familiarize local ambulance services, fire depts., pitals and any other local emergency services with the perties of hazardous waste managed at the facility and the es of injuries or illness which could result from fires, losions or a release of hazardous wastes at the facility? Indition B.13.(a)(iii)]	Yes_xNo □ N/A	
- FMERGI	ENCY AUTH	IORITIES		
LINENO	LITOT AUTI	ionii ie		
		or local agency declined to enter into the arrangements set 3745-54-37(A)? If so,	YesNo_x_N/A	
		nittee documented the refusal in the operating record as Rule 3745-54-37(B)? [Condition B.13.(b)]	YesNo □ N/A_x	
a copy change	of the appro s) to all loca	mittee, in accordance with O.A.C. Rule 3745-54-53 submitted ved contingency plan (including amendments, revisions or lauthorities, agencies and response contractors designated tingency plan? [Condition B.18.(b)]	Yes_x_No □ N/A	
(10) day		mittee notified the agencies in Question #3, in writing, within ective date of any amendments or revisions to the plan?	Yes_x_No ☐ N/A	
and all Emerge	revisions, ar	mittee submitted a copy of the approved contingency plan nendments and modifications to the Ohio EPA, Division of medial Response in accordance with O.A.C. Rule 3745-54- 8.(b)]	Yes_xNo □ N/A	
<i>EMERG</i>	ENCY COO	RDINATOR		٠
7.	in accordan	ce with O.A.C. Rule 3745-54-55 and Condition B.19. of the		
		ency coordinator on premises or on call at all times?	Yes_x_No □ N/A	
8.	In accordan	ce with O.A.C. Rule 3745-54-55 and Condition B.19. of the		

			Y/N/NA	RMK#
permit followi		the emergency coordinator(s) at the facility familiar with the		
	(a)	Contingency plan?	Yesx_No	
	(b)	Facility layout?	Yes_x_No □ N/A	
	(c)	Waste characterization and locations?	Yes_x_No □ N/A	
	(d)	Locations of all records in the facility?	Yesx_No	
	nator(s)	ordance with O.A.C. Rule 3745-54-55, does/do the emergency have the authority to commit the resources needed to carry out cy plan? [Condition B.19.]	Yes_x_No 🗇 N/A	
CONT	ENT OF	CONTINGENCY PLAN		
10. the fo 52:		he Permittee have a contingency plan for the facility which contains elements as required by Condition B.15. and O.A.C. Rule 3745-54-		
	(a)	Describes the actions facility personnel shall take to comply with	•	
	O.A.C explo	C. Rules 3745-54-51 through 3745-54-56 in response to fires, sions or any unplanned sudden or nonsudden release of hazardous or hazardous waste constituents to air, soil or surface water?	Yes_xNo □ N/A	
		Describes arrangements agreed to by local police, fire tments, hospitals, contractors and Ohio EPA and the local gency response team?	Yes_xNo ☐ N/A	<del>***</del> *********************************
	coord	Includes an up-to-date list of names, addresses and phone pers (office and home) of all persons qualified to act as emergency linator in the order that they will assume responsibility for lination of emergency response?	Yes_xNo □ N/A	
		Includes a list of all emergency equipment, including fire guishing systems, spill control equipment, communications and systems and decontamination equipment?	Yes_xNo ☐ N/A	

			Y/N/NA	RMK#
4MENI	OMENT (	OF PLAN		
	ding the	ermittee reviewing the approved contingency plan regularly and plan immediately if needed in compliance with O.A.C. Rule 3745-tion B.17.]	Yes_x_No □ N/A	
chang		e Question #4 of <u>Recordkeeping requirements</u> to verify that any e contingency plan were submitted in accordance with O.A.C. Rule		
IMPLE	MENTA	TION OF PLAN		
	dous wa	ere been a fire, explosion or release of hazardous waste or ste constituents at the facility since date of last inspection as Condition B.14. of the permit? If so,	YesNo_xN/A	_
		Permittee immediately implement the approved contingency plan emergency procedures described in O.A.C. Rule 3745-54-56? 4.]	YesNo □ N/A_x	
14. inspe		e Permittee had any of the following situations since date of last		
	(a)	fire involving hazardous waste?	YesNo_xN/A	
	(b)	explosion involving hazardous waste?	YesNo_xN/A	
	poiso	any uncontrolled hazardous waste reaction that produces or has of tential to produce hazardous conditions, including noxious, nous, flammable and /or explosive gases, fumes, or vapors; ful dust; or explosive conditions?	YesNo_x_N/A	
		any fire or explosion that has an increased potential to threaten in health or the environment due to its proximity to a hazardous management unit?	YesNo_xN/A	
		any hazardous waste released, outside of a secondary inment system, that causes or has the potential to cause off-site nd/or surface water contamination?	YesNo_xN/A	
	and/d	any hazardous waste release that produces or has a potential to uce hazardous conditions, including noxious, poisonous, flammable or explosive gases, fumes, or vapors; harmful dust; or explosive tions?	YesNo_xN/A	
	(g) visua	When No <sub>x</sub> emissions from any where within the facility are lly observed by site personnel leaving the facility property.	YesNo_x_N/A	

· · · · · · · · · · · · · · · · · · ·	Y/N/NA	RMK#
15. If yes, to any situation in number 3 above was the Contingency Plan implemented?	YesNo	
16. Did the Permittee collect and manage released material, emergency response material and by-products [unless making a demonstration that such waste is not hazardous in accordance with O.A.C. Rules 3745-51-03(C) and (D)]? [Condition B.16.]	YesNo □ N/A_x	_
(a) Within (15) days of the incident did the Permittee submit, to the Director, a written report of the incident? If so,	YesNo □ N/A_x	_
(i) Did the report contain the elements set forth in O.A.C. Rule 3745-54-56(J)? [Condition B.23.]	YesNo	
(b) Did the Permittee note in the operating record the time, date and details of any incident that required the implementation of the approved contingency plan? [Condition B.23.]	YesNo	_
ADDITIONAL REQUIREMENTS		
17. Is the Permittee following the Surface Water Management Plan as outlined in Section F of the approved application? [Condition B.41.]	Yes_x_No ☐ N/A	
18. Has the Permittee accepted and unloaded any loads that have created a public nuisance pursuant to Ohio Revised Code 3734.02(I)? [Condition B.44.]	Yes ☐ No _x N/A	
CLOSURE REQUIREMENTS		
GENERAL CLOSURE REQUIREMENTS		
1. Is the Permittee maintaining at the facility, the approved closure plan which contains the elements set forth in O.A.C. Rule 3745-55-12? [Condition B.29.]	Yes_xNo ☐ N/A	
AMENDMENT OF CLOSURE PLAN		
2. Has the Permittee amended the closure plan?	YesNo_xN/A	
(a) If so, has the plan been amended in accordance with O.A.C. Rule 3745-55-12(C)? [Condition B.28.]	YesNo □ N/Ax_	
<b>NOTE:</b> Also see <u>Recordkeeping Requirements</u> (Question #4) in order to verify that any changes to the closure plan were submitted in accordance with O.A.C. Rule 3745-50-51.		
(b) If so, has the Permittee revised the closure cost estimate? [Condition B.36.(c)]	YesNo ☐ N/Ax_	
(c) If so, has the Permittee submitted to Ohio EPA the latest cost	YesNo D N/A_x_	

7.

		Y/N/NA	RMK#
es	stimate? [Condition B.36.(d)]		
CLOSURE	PROCEDURES		
3. Has	s the Permittee closed the facility? If so,	YesNo_x_N/A	
clo	Was closure conducted in accordance with the closure erformance standard of O.A.C. Rule 3745-55-11 and the approved osure plan as set forth in the permit application? [Conditions B.26., .27.]	YesNo	
	Within 120 prior to closure: Did the Permittee submit to Ohio PA, NWDO a sampling and analysis plan (SAP) for obtaining ackground sample data? [Condition B.30.(b)]	YesNo □ N/A_x	
cl ar	After receiving the final volume of hazardous waste, did the ermittee remove from the facility all hazardous waste and complete osure activities in accordance with the schedule specified in the pproved closure plan and as required by O.A.C. Rule 3745-55-13? Condition B.31.]	YesNo 🗇 N/A_x	
	Has the Permittee decontaminated and/or disposed of all facility quipment, structures and soils as required by O.A.C. Rule 3745-55-14 nd the approved closure plan? [Condition B.32.(a)]	YesNo □ N/A_x	
	Did the Permittee notify Northwest District Office, OEPA within ve (5) working days prior to all rinseate and soil sampling? [Condition 3.32.(b)]	YesNo  N/A_x_	
	Has the Permittee certified that the facility has been closed in ccordance with the specifications in the approved closure plan as equired by O.A.C. Rule 3745-55-15? [Condition B.33.]	Yes 🗆 No N/A_x	
REQUIRE	MENTS FOR IGNITABLE, REACTIVE OR INCOMPATIBLE WASTES		·
3745-54-	the Permittee in compliance with the requirements of O.A.C. Rule 17 (for ignitable, reactive and incompatible wastes), the approved in and conditions of the permit? [Condition B.8.(a)]	Yes_xNo ☐ N/A	
	pes the Permittee provide electrical grounding for all containers and ring the handling of ignitable, reactive and incompatible wastes? In B.8.(e)]	Yes_x_No □ N/A	
during all	oes the Permittee provide and require the use of spark proof tools operations involving the handling of flammable and combustible [Condition B.8.(b)]	Yes_xNo ☐ N/A	

Does the Permittee prohibit smoking and open flames in areas where

(a)

	Y/N/NA	RMK#
hazardous wastes are managed and post appropriate signs? [Condition B.8.(c)]	Yes_xNo ☐ N/A	
8. Where applicable, does all wiring and electrical equipment at the container storage building meet the National Fire Protection Association, "National Electric Code" National Fire Codes, 1985 Edition, Vol. 3, Chapter 5, Special Occupancies, Articles 500-503, pp. 176 through 189.)? [Condition B.8.(d)]  **Tank system requirements**	Yes_x_No □ N/A	
A description of the Permittee's tank system operations including the Integrated Aqueous Waste Treatment System (IAWTS), truck unloading operation, waste storage/treatment system, filtration operations, pump houses and yard piping is included in Module D of the permit.		
GENERAL REQUIREMENTS		
1. Is the Permittee limiting the total volume of waste managed in the tank systems to the maximum volume for each tank as authorized by Condition D.1.?	Yes_xNo	
2. Does the Permittee store and treat in tanks only those hazardous wastes as specified in the approved Part B permit application and Condition D.1. of the permit?	Yes_x_No □ N/A	
3. Does the Permittee have on-file a written statement by a qualified, independent, registered professional engineer stating the <b>new tanks</b> are suitable for handling hazardous wastes? [Condition D.2.(b)]	Yes_xNo	
CONTAINMENT/DETECTION REQUIREMENTS		
4. Is the secondary containment system for each tank system designed, installed and operated in accordance with O.A.C. rule 3745-55-93 and the terms and conditions of the permit? [Condition D.3.]	Yes_xNo	
GENERAL OPERATING REQUIREMENTS		
5. Does the Permittee prevent the placement of hazardous waste in the tank if such placement could cause the unit to leak or fail? [Condition D.4.(a)]	Yes_xNo	
6. Does the Permittee use appropriate controls and practices to prevent spills or overflows from the tank in accordance with Condition D.4.(b) of the permit?	Yes_x_No	
RESPONSE TO LEAKS AND SPILLS		
7. Has a leak or spill occurred from the tank system or has the system become unfit for continued use? If so, [Condition D.6.]	Yes No_x_N/A	

Did the Permittee follow the emergency procedures as required

				Y/N/NA	RMK#
	by O.A	.C. Ruj	e 3745-55-96 and O.A.C Rule 3745-93(C)(4)?	YesNo □ N/A_x	
			Did the Permittee stop the flow of hazardous waste into nk system or secondary containment system and inspect estem to determine the cause of the release? [Condition a)(i)]	YesNo □ N/A_x	
		the le	Did the Permittee remove waste and accumulated bitation from the system within 24 hours of the detection of ak or at an earlier practicable time to prevent further se and to allow inspection and repair of the containment system to be performed? [Condition a)(ii)]	YesNo □ N/A_x	_
		relea: preve water	Did the Permittee contain visible releases to the onment and immediately conduct a visual inspection of all ses to the environment and base that inspection on: (1) enting further migration of the leak or spill to soils or surface and (2) remove and properly dispose of any visible imination of the soil or surface water? [Condition a)(iii)]	YesNo □ N/A_x	
	(b) accord permit	dance v	e Permittee report the leak/spill to the Director in with the procedures as outlined in Condition D.7. of the	YesNo □ N/A_x	-
8. contair D.6.(b)	nment s		n a leak or spill from a tank system, from a secondary or a system become unfit for continual use? [Condition	Yes No _x N/A	
	(a) the int		nere been a release caused by a spill that has not damaged of the system? [Condition D.6.(b)(i)]	Yes No _x N/A	_
		-	If so, has the Permittee removed the waste and made necessary repairs before returning the tank system to ce? [Condition D.6.(b)(i)]	YesNo □ N/A_x	
	(b) syster		nere been a release caused by a leak from the primary tank a secondary containment system? [Condition D.6.(b)(ii)]	Yes No _x _ N/A	
		(i) to re	If so, has the Permittee repaired the primary system prior turning it to service? [Condition D.6.(b)(ii)]	YesNo □ N/A_x_	
		a comp	nere been a release to the environment caused by a leak onent of the tank system that is below ground and does not ary containment? [Condition D.6.(b)(iii)]	Yes □ No _x N/A	

				Y/N/NA	RMK#
		econdary cont	s the Permittee provided this component with ainment before the component was returned to dition D.6.(b)(iii)]	YesNo □ N/A_x_	Marie April
se	m abo	veground porti y containment	a release to the environment caused by a leak on of the tank system that does not have and can be visually inspected? [Condition	Yes No_x_N/A	
	(i) re		s the Permittee repaired the tank system before ervice? [Condition D.6.(b)(iv)]	YesNo D N/A_x	
	om a po		a release to the environment caused by a leak nk system that is not readily available for visual n D.6.(b)(v)]	Yes 🗇 No _x N/A	
		hat meets the	s the Permittee provided secondary containment requirements of OAC Rule 3745-55-93 before omponent to service? [Condition D.6. (b)(v)	YesNo	
(f) eli		as the Permitte a leak?	ee replaced a component of the tank system to	YesNo_ xN/A	
	(i) n		es that component satisfy the requirements for a m? [Condition D.6.(b)(vi)]	YesNo □ N/A_x_	
		been any maj nk system?	or repairs to eliminate leaks or restore the	YesNo_x_N/A	
			as the Permittee obtained a certification by an ualified, registered professional engineer? (c)]	YesNo □ N/A_x	
RECORDK	EEPIN	G AND REPO	RTING		
	the tank	system or se	ted to the Director within 24 hours of a leak or condary containment system to the environment?	YesNo □ N/A_x	
release to	the env		ted the following within thirty days of detecting a n a tank or secondary containment system to the b)]		
	(i)	•	Likely route of migration of the release?	YesNo	
	(ii	)	Characteristics of the surrounding soil?	YesNo	-
	(ii	i)	Results of any monitoring or sampling conducted	YesNo □ N/A_x_	_

			Y/N/NA	RMK#
	(iv)	Proximity of downgradient drinking water, surface water, and populated areas?	YesNo  N/A_x_	Strington.
	(v)	Description of response actions taken or planned?	YesNo	
12. repair		tee submitted to the Director all certifications of major ys after returing the system to use? [Condition D.7.(c)]	YesNo	
		ittee obtain and keep on file the written statement by those rtify the design and installation of the tank system?	Yes_xNo □ N/A	
INSPE	CTIONS			
	ed inspection p	e inspecting the tank system in accordance with the lan, Condition D.5. of the permit, and the following C. Rule 3745-55-95: [Condition D.5.]	Yes_x_No □ N/A	
		tion of overfill controls in accordance with the procedures in the Part B permit application? [Condition D.5.(b)]	Yes_xNo □ N/A	
		nspection of the above ground portion of the tank system to on or release? [Condition D.5.(c)(i)]	Yes_x_No □ N/A	
		nspection of construction materials and area immediately ne tank to detect erosion or signs of release? [Condition	Yes_x_No □ N/A	
	equipment (e	ving data gathered from monitoring and leak detection g. pressure/temperature gauges) to ensure that the tank being operated according to design specifications?  5.(c)(ii)]	Yes_x_No □ N/A	
		e maintaining documentation of the tank system rating log of the facility as required by O.A.C. Rule 3745-D.5.(d)]	Yes_x_No □ N/A	
TANK	SYSTEM/SPEC	IAL REQUIREMENTS		
tank s any a	c <b>ompatible was</b> system is deconi	ment of hazardous waste in tanks that previously held ste and/or material: Does the Permittee ensure that the taminated prior to placement of waste in the unit and that ures as outlined in the permit application are followed? and D.9.(b)]	Yes_xNo □ N/A	
17. syste		lacement of ignitable or reactive waste in a tank ermittee ensure that the procedures as specified in the		

appro	ved perm	nit applic	cation are followed? [Condition D.9.(a)]	Yes x	<b>Y/N/NA</b> : No □ N/A	RMK#
18.	Does the	ne Permi	ittee document compliance with the requirements estions 16 and 17 as noted above in the facility's operating .10.(b), D.9.(b)]	_	No 🗗 N/A	Annihora de la companya de la compa
betwe throug Comb	en waste gh 2-6 of oustible L	e manag the Nati iquids C	is also responsible for maintaining protective distances gement areas and public ways as required by Tables 2-1 gional Fire Protection Association's "Flammable and Code" (1977 or 1981) incorporated by reference in O.A.C. andition D.9.(b)]			
CLOS	URE AN	D POST	-closure			
19. forth i			e tank system, did the Permittee follow the procedures set closure plan? [Condition D.8.(a)]	Yes_	_No	
perfo	aminatec	d <b>soils c</b> closure c	e, if the Permittee could not demonstrate that all could be removed: Did the Permittee close the unit and care following a plan approved by the Ohio EPA?	Yes	_No	
			CORRECTIVE ACTION			
RCRA	FACILIT	TY INVE	STIGATION			
1. [Cond	Has the		tee discovered any new waste management units?	Yes	No_xN/A	
	(a)	if so, h	as a RFI Workplan been submitted? [Condition E.5.]	Yes	No 🗆 N/A_x_	
		(i) `	If so, has Ohio EPA provided written comments?	Yes_	_NoN/A_x	
		(ii) an an	If so, has the Permittee within forty-five days submitted nended or new RFI Workplan?	Yes_	No	***************************************
2. and s			ttee implemented the RFI Workplan according to the terms oproved RFI Workplan? [Condition E.5.(b)]	Yes_	No x_N/A	
3.	Has the	e RFI be	een completed?	Yes_	No_xN/A	<del></del>
	(a)	If so, w	vas the final report submitted to Ohio EPA within sixty			

			Y/N/NA R	MK#
		days? [Condition E.5.(c)]	YesNo	
		(i) If so, does the final report describe the procedures, methods, and results of the RFI? [Condition E.5.]	YesNo	
	(b) E.5.]	If so, has Ohio EPA provided written comments on the RFI? [P.C.	YesNoN/A_x	·
		(i) If so, did the Permittee submit either an amend or new RFI Report? [Condition E.5.]	YesNoN/A_x	
	(c) amen	If so, has Ohio EPA approved or modified and approved the ded or new RFI Report? [Condition E.5.]	YesNoN/A_x	
4. interir		hio EPA required the Permittee to develop and implement an ures workplan? [Condition E.6.]	YesNo_xN/A	
DETEI	RMINAT	ION OF NO FURTHER ACTION		
5. the C		e Permittee submitted a Class 3 permit modification to terminate Action task of the Schedule of Compliance? [Condition E.7.]	YesNo_x_N/A	
	(a)	If so, has Ohio EPA approved the Class 3 permit modification?	YesNoN/A_x	
CORR	ECTIVE	MEASURES STUDY		
6. [Cond	Has O	phio EPA notified the Permittee that a CMS must be conducted?	YesNo_x_N/A	
	(a) [Con	If so, has a CMS Workplan been submitted within ninety days?	YesNo □ N/A_x	
		(i) If so, did Ohio EPA comment on the CMS Workplan?	YesNoN/A_x	
	(b) Work	If so, did the Permittee submit an amended or new CMS plan within forty-five days?	YesNo 🗇 N/A_x	
	(c)	Has Ohio EPA approved or modified and approved the amended w CMS Workplan?	YesNoN/A_x	
7.	Has th	ne Permittee implemented the CMS Workplan? [Condition E.8.(b)]	YesNoN/A_x	
8.	Has th	ne CMS been completed?	YesNoN/A_x	
	(a) days	If so, was the final report submitted to Ohio EPA within sixty ? [Condition E.8.(c)]	YesNo	
		(i) If an did Ohio EPA provide written comments on the		

				Y/N/NA	RMK#
		CMS	Report to the Permittee?	YesNoN/A_x	
			id the Permittee submit either a amended or new CMS corporates Ohio EPA's comments with in forty-five days?	YesNo □ N/Ax_	
	(c) or ne		hio EPA approved or modified and approved the amended Report? [Condition E.8.(c)]	YesNoN/A_x	
9. the c			initiated a permit modification to require implementation of es? [Condition E.9.(i)]	YesNo_x_N/A	
10. to im			ttee provided financial assurance in the amount necessary ective measures? [Condition E.9.(ii)]	YesNo □ N/A_x	
NEWL	Y IDEN	ITIFIED V	VMUs OR RELEASES		
11.	Has a	new WM	IU been identified at the facility?	YesNo_xN/A	
	(a)	If so, h	as the Permittee submitted the following to the Ohio EPA		
		(i)	The location of the unit on the site topographic may? [Condition E.10.(a)(i)]	YesNo D N/A_x	·
		(ii)	Designation of the type of unit? [Condition E.10.(a)(ii)]	YesNo	
		(iii)	General dimensions and structural description? [Condition E.10.(a)(iii)]	YesNo □ N/A_x_	
		(iv)	Dates when the unit was operated? [Condition E.10.(a)(iv)]	YesNo ☐ N/A_x	
		(v)	Specifications of all waste that have been managed at the unit? [Condition E.10.(a)(v)]	YesNo □ N/A_x	
	nation p	ertaining	ttee submitted to Ohio EPA within thirty days all available to any release of hazardous waste or hazardous tion E.10.(b)]	Yes_xNo	

#### MISCELLANEOUS TREATMENT REQUIREMENTS

Filtration units at the facility have been categorized as miscellaneous units. The filtration system consists of Basket Strainers, Bag Filters, Filter Press, Primary and Secondary Cartridge Filters, and By-Pass Cartridge Filters. These individual units may either be used in series or parallel. The Thief Pole Rinsing System has also been categorized as a miscellaneous unit. *[Permit Module F.]* 

	Y/N/NA	RMK#
GENERAL REQUIREMENTS		
<ol> <li>Does the Permittee ensure that no more than 126,000,000 gallons waste is processed per year through the treatment system? [Condition F.</li> </ol>		
<ol> <li>Does the Permittee ensure that no more than 650,000 gallons of w processed per day through the treatment system? [Condition F.1.]</li> </ol>	/aste is Yes_x_No □ N/A	
3. Has a leak or spill occurred from the miscellaneous unit or has the become unfit for continued use? If so,	unit YesNox_N/A	
(a) Did the Permittee follow the emergency procedures as req by O.A.C. Rule 3745-55-96 and O.A.C Rule 3745-93(C)(4)?	quired YesNo □ N/A_x	
<ul> <li>(i) Did the Permittee stop the flow of hazardous wasted the miscellaneous unit or secondary containment system inspect the system to determine the cause of the release [Condition F.6.(a)(i)]</li> </ul>	and YesNo □ N/A_x	
(ii) Did the Permittee remove waste and accumulated precipitation from the system within 24 hours of the detection the leak or at an earlier practicable time to prevent further release and to allow inspection and repair of the miscella unit or containment system to be performed? [Condition F.6.(a)(il)]	ction of or YesNo	
(iii) Did the Permittee contain visible releases to the environment and immediately conduct a visual inspection releases to the environment and base that inspection on: preventing further migration of the leak or spill to soils or water and (2) remove and properly dispose of any visible contamination of the soil or surface water? [Condition F.6.(a)(iII)]	: (1) surface YesNo □ N/A_x	
(b) Did the Permittee report the leak/spill to the Director in accordance with the procedures as outlined in Condition F.7. of the permit?	he YesNo □ N/A_x_	
CONTAINMENT/DETECTION REQUIREMENTS	•	
4. Is the secondary containment system of each unit designed, instatoperated to prevent any migration of waste or accumulated liquid out of the system to soil, groundwater or surface water? [Condition F.3.(a)]		
5. Is the secondary containment system of each unit capable of dete and collecting releases and accumulated liquids until the collected materi removed? [Condition F.3.(b)]		

			Y/N/NA	RMK#
GENE	RAL OPI	ERATING REQUIREMENTS		
	m if they	ne Permittee prevent the placement of hazardous waste in the filter could cause the filter, ancillary equipment, or containment system k, corrode or other wise fail? [Condition F.4.(a)]	Yes_xNo	
	or overflo	ne Permittee use appropriate controls and practices to prevent lows from filters or containment systems in accordance with (b) of the permit?	Yesx_No □ N/A	<del></del>
8. manu		ne Permittee operate all miscellaneous units in accordance with nstructions and accepted industry practice? [Condition F.4.(c)]	Yesx_No □ N/A	
INSPE	CTIONS			4
9. the In		Permittee inspecting the Miscellaneous Units in accordance with Schedule? [Condition F.5.(a)]	Yes_xNo □ N/A	
10.	Is the F	Permittee inspecting the following:		
	(a)	Inspection of overfill controls? [Condition F.5.(b)]	Yes_xNo	
	(b) releas	Aboveground portions of the miscellaneous units for corrosion or es of waste? [Condition F.5.(c)(i)]	Yes_xNo □ N/A	····
		Is data gathered from monitoring and leak detection equipment to e that miscellaneous units are being operated according to design? dition F.5.(c)(ii)]	Yes_x_No □ N/A	**************************************
		Is the construction materials and the area immediately unding the externally accessible portion of the unit inspected? ition F.5.(c)(iii)]	Yes_xNo	
MISC	ELLANE	OUS UNIT SPECIAL REQUIREMENTS		
ensu waste	iously he re that the e in the u	o placement of hazardous waste in a miscellaneous units that eld an incompatible waste and/or material: Does the Permittee e miscellaneous unit is decontaminated prior to placement of nit and that any additional procedures as outlined in the permit e followed? [Conditions F.9.(b)]	Yes_xNo	<del></del>
	ellaneou	o the placement of ignitable or reactive waste in a units: Does the Permittee ensure that the procedures as e approved permit application are followed? [Condition F.9.(a)]	Yes_x_No □ N/A	

CLOSURE AND POST-CLOSURE

	Y/N/NA	RMK#
13. At closure of the miscellaneous unit, did the Permittee follow the procedures set forth in the approved closure plan? [Condition F.10.(a)]	YesNo 🗇 N/A_x_	
14. During closure, if the Permittee could not demonstrate that all contaminated soils could be removed: Did the Permittee close the miscellaneous unit and perform post-closure care following a plan approved by the Ohio EPA? [Condition F.10.(b)]	YesNo ☐ N/A_x_	
GROUND WATER DETECTION MONITORING		
1. Is the Permittee maintaining a ground water monitoring system as specified in Permit Condition J.2.?	Yes_xNo ☐ N/A	Additional Property Company of the C
<ol> <li>Is the Permittee monitoring upgradient background wells and downgradient wells for the parameters and constituents listed in Permit Condition J.3.? [Condition J.3.]</li> </ol>	n Yes_x_No □ N/A	<del></del>
3. Is the Permittee following Permit Condition J.4. when obtaining and analyzing samples from ground water monitoring wells and the capillary drain sampling point? [Condition J.4. and J.7.(a)]	Yes_x_No □ N/A	
4. Has the Permittee determined the elevation of the ground water at each well each time the ground water has been sampled? [Condition J.5.(a)]	Yes_xNo □ N/A	
5. Has the Permittee recorded the total depth of any newly installed wells? Condition J.5.(b)]	Yes_x_No □ N/A	
6. Has the Permittee conducted a statistical evaluation for:		
(a) The eight bedrock monitoring wells? [Condition J.6.]	Yes_x_No □ N/A	
(b) the capillary drain using trend analysis? [Condition J.6.]	Yes_x_No ☐ N/A	
7. Is the Permittee determining the ground water quality at each well and the capillary drain, semi-annually during post-closure period of the Closure Cell? [Condition J.7.(b)]	e Yes_x_No □ N/A	
8. Is the Permittee determining the ground water flow rate and direction on the uppermost aquifer at least annually? [Condition J.7.(c)]	Yes_xNo □ N/A	
9. Has the Permittee determined if there is a statistically significant increase over the background values for each parameter identified in Permit Condition J.3.(a) each time ground water quality is determined at the compliance point? [Condition J.7.(d)]	Yes_x_No □ N/A	
10. Has the Permittee performed the evaluation described in Permit Conditio J.7. within sixty days after completion of sampling? [Condition J.7.(e)]	n Yes_x_No □ N/A	
11. Has the Permittee entered all the information obtained on Permit		

	Y/N/NA	RMK#
Condition J.7. in the Operation Record? [Condition J.8.(a)]	Yes_x_No □ N/A	
12. Does the Permittee maintain a copy of the QA/QC report containing at a minimum the information required in Permit Condition J.8.(b)? [Condition J.8.(b)]	Yes_xNo	
13. Has the Permittee submitted the ground water annual report to the Ohio EPA by March 1 <sup>st</sup> ? [Condition J.8.(c)]	Yes_xNo	
Has the Permittee submitted the analytical results required by Permit Conditions J.7.(b), J.7.(c) and J.7.(d) by July 1 <sup>st</sup> and January 1 <sup>st</sup> of each year? [Condition J.8.(d)]	Yes_xNo	
15. Is the Permittee in compliance with O.A.C Rule 3745-54-95? [P.C. J.9.]	Yes_x_No □ N/A	
SPECIAL REQUIREMENTS		·
16. Has the Permittee determined, pursuant to Permit Condition J.6., that there is statistically significant evidence of contamination by any constituent listed in Permit Condition J.3.? [Condition J.10.]	YesNox_N/A	
If so,		
(a) Has the Permittee notified Ohio EPA in writing within seven days of the determination? [Condition J.10.(a)]	YesNo □ N/A_x	
(b) Did the Permittee immediately sample ground water in all wells and determine the concentration of all constituents identified in the Appendix to OAC Rule 3745-54-98? [Condition J.10.(b)]	YesNo	
(c) Has the Permittee re-sampled affected wells within one month and repeated the analysis for any compound identified in the Appendix to OAC 3745-54-98 that were detected? [Condition J.10.(c)]	YesNoN/A_x	
If so;		
(i) If the second analysis confirmed the initial results were the detected compounds used to form the basis for compliance monitoring?	YesNo □ N/A_x	
(ii) If the Permittee elected not to re-sample were the detected compounds used to form the basis for compliance monitoring?	YesNo□ N/A_x	
(d) Did the Permittee submit a permit modification to Ohio EPA, within ninety days, to establish a compliance monitoring program in accordance with OAC 3745-54-99? [Condition J.10.(d)]	YesNoN/A_x	

If so; did the application include:

		Y/N/NA	RMK#
(i)	The identification of the concentration of each Appendix to OAC 3745-54-98 constituent found in the ground water at each well at the compliance point? [Condition J.10.(d)(i)]	YesNo	
(ii)	Any proposed changes to the ground water monitoring system at the facility necessary to meet the requirements of compliance monitoring? [Condition J.10.(d)(ii)]	YesNo □ N/A_x	
(iii)	Any proposed changes to the monitoring frequency, sampling and analysis procedures or methods or statistical procedures used at the facility necessary to meet the requirements of compliance monitoring and the Ground Water Protection Standard? [Condition J.10.(d)(iii)]	YesNo □ N/A_x	<del></del>
see	The compliance point, a proposed concentration limit der OAC 3745–54-94(A)(1) or (A)(2), or a notice of intent to ek an alternate concentration limit for a hazardous nstituent? [Condition J.10.(d)(iv)]	YesNo □ N/A_x	
(v)	Has the permittee began sampling and analyzing for the new constituent at the next regularly scheduled sampling event following the event in which they were determined to be present? [Condition J.10.(d)(v)]	YesNo	
feasibility p	the Permittee submitted to the Director a corrective action lan or all data necessary to satisfactorily justify an alternate on limit within 180 days of determining a statistically increase? [Condition J.10.(e)]	YesNo □ N/A_x	
there is a s	the Permittee determined, pursuant to Permit Condition J.7., statistically significant increase above the background values ameters specified in Permit Condition J.3.(a)? [Condition	Yes □ No _x N/A	
unit caused	ermittee may demonstrate that a source other than a regulated the increase or that the increase resulted from error in nalysis or evaluation. In such cases, did the Permittee:	YesNoN/A_x	
(i)	Notify the Director in writing within seven days of determining a statistically significant increase that he intended to make a demonstration? [Condition J.10.(f)(i)]	YesNo	
(ii)	Within 90 days of determining a statistically significant increas, submit a report to the Director which successfully demonstrated that a source other than a		,

	Y/N/NA RMK#
regulated unit caused the increase, or that the increase, or that the increase, or evaluable [Condition J.10 (f)(ii)]	
(iii) Within 90 days of determining a statistical significant increase, submitted to the Director an application for a permit modification to make app changes to the detection monitoring program at t facility? [Condition J.10.(f)(iii)]	ropriate YesNo □ N/A_x
(iv) Has the Permittee continued to monitor in accorda with the detection monitoring program at the facility? [Co J.10.(f)(iv)]	
17. Has the Permittee or Ohio EPA determined that the detection mon program no longer satisfies the requirements of the regulations? [Condit J.11.]	
If so;	
<ul> <li>(a) Within 90 days of the determination, submit an application permit modification to make any appropriate changes to the progr [Condition J.11.]</li> </ul>	
POST-CLOSURE CARE	
POST-CLOSURE CARE	
The Permittee is currently required to perform post-closure care for the Clo Cell. The Closure Cell was constructed in the vicinity of where Ponds 4, 5 had existed. Upon cell construction, materials removed from Ponds 4, 5 a were transferred to the Closure Cell. Materials from Ponds 11 and 12 wer stabilized in place before transferring to the Closure Cell.	and 7 and 7
GENERAL POST-CLOSURE REQUIREMENTS	
Is the Permittee maintaining the secondary leachate collection systems of the approved permit application? [Condition M.]	
2. During the period of post-closure care, is the Permittee maintainin groundwater monitoring system in accordance with OAC rule 3745-54-90 through 3745-54-99? [Conditions M.3. (c)(iii)]	
3. Is the Permittee maintaining the integrity and effectiveness of the cover, including making any necessary repairs to the cap? [Condition M.	
4. While leachate is still being detected: Is the Permittee continuing	

	Y/N/NA RMK#
operation of its leachate collection and removal system? [Condition M.3.(c)(ii)]	Yes_xNo
5. Does the Permittee prevent run-on and run-off from eroding or otherwise damaging the final cover? [Condition M.3.(c)(iv)]	Yesx_No
6. Does the Permittee protect and maintain surveyed benchmarks? [Condition M.3.(c)(v)]	Yes_xNo
7. Is the Permittee complying with the security requirements for the unit(s) in post-closure as specified in the permit application? [Condition M.3.(d)]	Yesx_No □ N/A
8. Is the Permittee preventing any use of the unit(s) in post-closure care in a manner which would contribute to damage to the final cover, liner or any other system components? [Condition M.3.(e)]	Yes_xNo ☐ N/A
9. Is the Permittee conducting post-closure care activities in accordance with the post-closure plan and O.A.C. Rules 3745-55-17(D) and 3745-55-18(B)? [Condition M.3.(f)]	Yes_xNo □ N/A
10. Is the Permittee conducting post-closure care for each hazardous waste management unit in Permit Condition M.2.?  [Condition M.3.(a)]	Yesx_No □ N/A
11. Is the Permittee maintaining and monitoring the ground water monitoring system and complying with all applicable requirements of OAC Rule 3745-54-90 thru 99 and OAC Rule 3745-55-01 & 02 during the post-closure period? [Condition M.3.(b)]	Yes_x_No □ N/A
12. Does the Permittee, owner or operator wish to remove hazardous wastes and hazardous waste residues, the liner or contaminated soil?	YesNox_N/A
If so;	
a.) Has the Permittee, owner or operator demonstrated that the removal of hazardous waste satisfies the criteria of OAC Rule 3745-55-17(C)? [Condition M.5.(a)]	YesNo
b.) Has the Permittee, owner or operator requested a modification to the post-closure permit in accordance with the applicable requirements in OAC Rule 3745-502 [Condition M.5 (a)]	YesNo □ N/A_x

**INSPECTIONS** 

		Y/N/NA	RMK#
	Is the Permittee inspecting the components, structure and equipment at te in accordance with the Inspection Schedule in the Part B application?	Yes_x_No □ N/A	
NOTIC	CES AND CERTIFICATION		
14. been	Has any post-closure care periods for any hazardous waste disposal units completed?	YesNo_x_N/A	
	If so;		
	a.) Has the Permittee submitted to the Director, within 60 days, a certification that the post-closure care for the hazardous waste disposal unit was performed in accordance with the specifications in the approved Post-Closure Plan? [Condition M.5.(b)]	YesNo ☐ N/A_x_	
	b.) Was the certification signed by the Permittee and an independent, registered professional engineer from the state of Ohio ? [Condition M.5.(b)]	YesNo □ N/A_x	
FINAN	ICIAL ASSURANCE		
	Is the Permittee maintaining financial assurance during the post-closure d and complying with all applicable requirements of OAC Rule 3745-55-40 [Condition M.6.(a)]	Yes_x_No 🗇 N/A	
16.	Has the Permittee requested a release of funds?	YesNo_x_N/A	
	If so;		
	a.) Has the Permittee demonstrated to the Director that the value of the financial assurance mechanism exceeds the remaining cost of post-closure? [Condition M.6.(b)]	YesNo □ N/A_x	***************************************
	b.) Has the Permittee submitted itemized bills to the Director when requesting reimbursement? [Condition M.6.(c)]	YesNo	
MODI	FICATIONS		
17.	Has the Permittee requested a modification of the Post-Closure Plan?	YesNo_x_N/A	
	If so;		
	a.) Has the request been made in accordance with applicable requirements of OAC Rule 3745-50? [Condition M.7.]	YesNo □ N/A_x	
	b.) Did the request include a copy of the proposed amended Post-Closure Plan for approval by the Director? [Condition M.7.]	YesNo ☐ N/A_x	

	Y/N/NA	RMK#
c.) Has the Permittee requested a permit modification whenever changes in operating plans or facility design affects the approved Post-Closure Plan, there is a change in the expected year of final closure, or other events occur during the active life of the facility that affect the approved Post-Closure Plan? [Condition M.7.]	YesNo D N/A_x_	
d.) Has the Permittee submitted a written request for a permit modification at least 60 days prior to the proposed change in facility design or operation, or no later than 60 days after an unexpected event has occurred which has affected the Post-closure Plan? [Condition M.7.]	YesNo	

REMARKS

# **LARGE QUANTITY GENERATOR REQUIREMENTS**

## **COMPLETE AND ATTACH A PROCESS DESCRIPTION SUMMARY**

CESQG:< 100 Kg. (approximately 25-30 gallons) of waste in a calendar month

SQG: Between 100 and 1,000 Kg. (about 25 to under 300 gallons) of waste in a calendar month

LQG: >1,000 Kg. (~300 gallons) of waste in a calendar month or > 1 Kg. of acutely hazardous waste in a calendar month

NOTE: To convert from gallons to pounds: Amount in gallons x Specific Gravity x 8.345 = Amounts in pounds

ility	Name: Vickery Enviro	nmental, Inc.			Fac	ility Type: TSDFEPA	ID#: OHD 020 273 8	319
		cription of Waste	•			On-Site Managemen	<i>t</i>	Off-Site Management
C	Process/Activity Generating Waste (e.g. plating bath, achining, baghouse, painting, etc)	Waste Generated (e.g. sludge, spent solvent, ash, etc)	EPA Waste Code	QTY Generated per Month	Type of Accumulation/ Storage (e.g. container, tank, etc)	Type of On-Site Treatment (recycle, wwt, etc)	Waste Location (Include map if possible)	Name, state, and type of activity occurring at the facility.
1	Landfill Primary and Secondary Leachate Collection Systems	leachate	F039	7.75 tons	tank (T-Tanks after generation)	filtration	closure cell pre- generation and T- Tanks post- generation	On-Site deep well injection
2	Filter Cake/ misc debris	sludge	see Part A	115.5 tons	container		container storage building	Clean Harbors Environmental Services, Inc London, Ontario, Canada [and] Stablex Canada, Inc Blainville, Quebec
3	Scrubber	waste water	See Part A	13.33 Tons	tank	filtration	scrubber tank	on-site deep well injection
4	Lab	waste water	See Part A	1.05 Tons	tank	filtration	laboratory tank	on-site deep well injection

5 Truck Wash/ Floor Wash & Pipe Cleanout/ Filter Press Cleaning	waste water	See Part A	129.2 Tons	tank	filtration	V-Tanks	on-site deep well injection

#### **REMARKS-GENERAL INFORMATION**

#### **General Process Information:**

Vickery is a hazardous waste treatment, storage and deep well injection disposal facility. Hazardous waste is brought on site by tanker truck. Hazardous waste is sampled and pumped into permitted hazardous waste storage tanks. Hazardous waste is blended in the tanks and transferred via piping to a filter press to remove solids. From the filter press, the liquids are pumped through polishing filters and then deep well injected.

Regulatory/Enforcement History (if applicable):

Not Applicable

Other: Not Applicable

#### POLLUTION PREVENTION

Note to the Inspector: This checklist has been developed to help the division in gathering general information about the pollution prevention (P2) practices that the company may have initiated or attempted to initiate. The checklist is also used to:

- Facilitate P2 discussions;
- Identify barriers to P2;
- Define the P2 universe;
- Identify the need for future P2 initiatives;
- Identify partnership opportunities; and
- Link companies with better P2 resources.

As a prelude to completing this checklist the inspector should use the following list of questions as a way to initiate a dialogue concerning P2:

- 1. Have you tried to reduce the volume of waste (hazardous and nonhazardous) that you generate? Yes
- 2. What is the largest waste stream that you generate? Filter Cake
- 3. How important would it be to you to eliminate that waste stream? Very important, but nearly impossible
- 4. Does your company understand the reduced regulatory burden and cost saving benefits that eliminating or reducing a waste stream can have?

  Yes
- 5. Could you use better housekeeping practices to reduce the amount of waste that you generate? No

If the company responds with one of the answers below, the appropriate box should be checked. If the company's response does not correspond to one of the options below, please record the answer in the space provided in the remarks section.

1.	Has the company undertaken any P2 activities to reduce the	_X	_Yes _	No _	_N/A _	RMK#
	amount of waste generated?					

•	a. If so, what has the company done to minimize waste generation?	
	<ul> <li>X A change in the process resulting in less waste.</li> <li>A change in the product resulting in less waste.</li> <li>Use of fewer and less toxic hazardous raw materials.</li> <li>Better operations/improved housekeeping.</li> <li>On-site recycling/reuse of hazardous materials.</li> <li>Sending waste off-site for recycling/reuse.</li> <li>Other activities (specify):</li> </ul>	
	b. If so, what wastes have been addressed?	
	<ul> <li>X Solvents</li> <li>□ Paint related wastes</li> <li>□ Industrial process wastes (sludges, slags, contaminated wastes waters, etc.)</li> <li>X Contaminated oils/hydraulic fluids</li> <li>□ Off-spec chemicals</li> <li>□ Shop rags</li> <li>□ Other (specify):</li> </ul>	<ul> <li>Waste water</li> <li>Solid waste (paper, plastic, metal wood, blasting material)</li> <li>Air emissions</li> <li>Energy use</li> <li>Fluorescent light bulbs</li> <li>Used batteries</li> </ul>
	c. If they haven't minimized waste are there barriers that are preventing them from doing it?	
	<ul> <li>Lack of information about practical alternatives.</li> <li>Lack of capital to make process changes.</li> <li>Lack of internal management support.</li> <li>The company does not generate enough waste to consider P2.</li> <li>Other reason given (specify):</li> </ul>	
2.	Does the company plan to do P2 activities in the future?	_x_YesNoN/ARMK#
3.	Would the company be interested in receiving additional information from Ohio EPA about P2?	Yes <u>x</u> NoN/ARMK#
4.	Did you give the company information about P2 during the inspection?	Yes <u>x</u> NoN/ARMK#
5.	Would the company like a P2 assessment?	Yes <u>x</u> NoN/ARMK#
	A. If yes, provide information that makes the company a good candidate for an assessment (i.e., known specific P2 opportunities exist, the company is willing to cooperate and commit resources to the assessment, the company fully understands DHWM's P2 assessment process, etc.)	Vickery continuously evaluates Pa opportunities on its own for economic and environmental benefit.

B. If no, list the reasons the facility representative gave for not wanting an assessment.

If the company would like a P2 assessment done at their facility, the inspector must give the company representative a copy of the <u>Pollution Prevention Assessments for Hazardous Waste Generators</u> document and discuss it with them (Attachment III of the P2 Assessment Procedures Manual at: <a href="http://www.epa.state.oh.us/dhwm/pdf/P2AssesmentHWGeneraotrs.pdf">http://www.epa.state.oh.us/dhwm/pdf/P2AssesmentHWGeneraotrs.pdf</a>).

## LARGE QUANTITY GENERATOR REQUIREMENTS

#### **GENERAL REQUIREMENTS**

1.	Have all wastes generated at tevaluated? [3745-52-11]	lave all wastes generated at the facility been adequately valuated? [3745-52-11]				
2.	Has the generator obtained number? [3745-52-12]	a U.S. EPA identification	Yes <u>x</u> No □ N/ARMK#			
3.	Were annual reports filed wi March 1 <sup>st</sup> ? [3745-52-41]	Were annual reports filed with Ohio EPA on or before March 1 <sup>st</sup> ? [3745-52-41]				
WAST	E IMPORT/EXPORT REQUIR	EMENTS				
4.	Does the generator import or If so:	export hazardous waste?	Yes <u>x</u> No N/ARMK#			
	a. Has the generator export/import activity? [3	notified U.S. EPA of 3745-52-53]	Yes <u>x</u> No □ N/A <u>RMK</u> #			
	b. Has the generator comprequirements? [3745-52	olied with special manifest 2-54]	Yes <u>x</u> No □ N/ARMK#			
		e not been returned to the eption report been filed?	Yes No □ N/A _x_RMK#			
	d. Has an annual report EPA? [3745-52-56]	been submitted to U.S.	Yes <u>x</u> No 🗖 N/ARMK#7			
	e. Are export related doc on-site? [3745-52-57]	uments being maintained	Yes <u>x</u> No □ N/ARMK#			

#### **GENERATOR CLOSURE REQUIREMENTS**

closed.

- 5. Has the generator closed any <90-day accumulation Yes\_\_\_No\_x\_N/A \_\_\_RMK# unit(s) since the date of the last inspection? If so:</li>a. Describe the unit(s) which the generator has
- Not b. Does closure appear to have met the closure Yes \_\_\_ No □ N/A \_\_x RMK# App performance standard of 3745-66-11? [3745-52-lica 34(A)(1)] ble

closure performance standards.

c. Please provide a description of the documentation provided by the generator to demonstrate that closure was completed in accordance with the

NOTE: If the generator has closed a <90-day tank, closure must also be completed in accordance with OAC 3745-66-97 (except for paragraph C of this rule). [3745-52-34]

### ANIFEST REQUIREMENTS

You must start this part of the inspection by telling the company representative about the certification statement on the hazardous waste manifest using the following question and statement:

Are	you aware of what the statement that you sign on the ma	anifest says? Yes <u>x</u> No
If the an	swer is no, show them what the statement says using a	signed manifest.
NOTE:	While the statement is a certification that a P2 strategoes not establish any legal obligations with which twords, there is no violation of the hazardous waste they don't have a program in place.	the company must comply. In other
1.	Have all hazardous wastes shipped off-site been accompanied by a manifest? (U.S. EPA Form 8700-22) [3745-52-20(A)]	Yes <u>x</u> No □ N/ARMK#
2.	Have items (1) through (20) of each manifest been completed? [3745-52-20(A)]	Yes <u>X</u> No □ N/ARMK#
NOTE:	U.S. EPA Form 8700-22(A) (the continuation form) (8700-22. In these situations items (21) through (35) 20(A)]	
3.	Does each manifest designate at least one permitted disposal facility? [3745-52-20(B)]	Yes <u>x</u> No □ N/ARMK#
NOTE:	The generator may designate on the manifest one all the event of an emergency which prevents the designated facility. [3745-52-20(C)].	The state of the s
4.	Since the date of the last inspection, has the transporter been unable to deliver a shipment of hazardous waste to the designated facility? If so:	Yes No_x_ N/ARMK#
	a. Did the generator designate an alternate TSD facility or give the transporter instructions to return the waste? [3745-52-20(D)]	Yes No 🖸 N/A _x_RMK#

03-72-01	91	
5.	Have the manifests been signed by the generator and initial transporter? [3745-52-23(A)(1)(2)]	
Yes <u>×</u> No □ N/A	Has the generator received a return copy of each completed manifest within 35 days of being accepted by the transporter? If not:	Yes_x_NoN/ARMK#
RM K# 6.		
	a. Did the generator contact the transporter and/or TSD facility to check on the status of the waste? [3745-52-42(A)(1)]	Yes No □ N/A _x_RMK#
	b. If the manifest was not received within 45 days, did the generator file an exception report with Ohio EPA? [3745-52-42(A)(2)]	Yes No □ N/A <u>x</u> RMK#
7.	Are signed copies of all manifests and any exception reports being retained for at least three years? [3745-52-40]	Yes <u>x</u> No □ N/A <u>RMK</u> #

Vickery Environmental, Inc.

OHD 020 273 819

**NOTE:** Waste generated at one location and transported along a publicly accessible road for temporary consolidated storage or treatment on a contiguous property also owned by the same person is not considered "on-site" and manifesting and transporter requirements must be met. To transport "along" a public right-of-way the destination facility has to act as a transfer facility or have a permit because this is considered to be "off-site." For additional information see the definition of "on-site" in OAC rule 3745-50-10.

## **ARSONNEL TRAINING**

1.		es the generator keep records required by 3745-65- D) including:	
	a.	Job titles, as they relate to hazardous waste management, and the name of each employee filling each job?	Yes <u>x</u> No □ N/ARMK#
	b.	Job descriptions, including requisite skill, education, or other qualifications, and duties of facility personnel assigned to each position?	Yes <u>x</u> No □ N/ARMK#
	C.	Type and amount of both introductory and continuing training to be given to each person filling a position?	Yes <u>x</u> No □ N/ARMK#
	d.	Documentation that personnel have completed the training or job experience required under 3745-65-16(A)(B) & (C)?	Yes <u>x</u> No □ N/ARMK#
NOTE:	be m oı	the facility's business practices precludes written je able to identify, by name, all personnel who ar anagement, and the training/experience that they rent the next page can be used to document that all ained.	re involved with hazardous waste eceive initially and annually. Item 9
2.	tea ma	es the generator have a training program which iches facility personnel hazardous waste inagement procedures (including contingency plan plementation) relevant to their positions? [3745-65-	Yes <u>x</u> No □ N/ARMK#
	16	(A)(2)	
3.	Do ins pe em		
3.	Do ins pe em 16	(A)(2)  es the personnel training program include truction in the following areas to ensure that facility rsonnel are able to respond effectively to nergencies by familiarizing them with: [3745-65-	Yes <u>x</u> No □ N/ARMK#

c. Emergency systems?

Yes  X No  No N/A	Does emergency training described in 3(a), (b) & (c) above include where applicable: [3745-65-16(A)(3)(a-f)	
RM K# _4.		
	a. Procedures for using, inspecting, repairing and replacing emergency and monitoring equipment?	Yes <u>x</u> No □ N/A <u>RMK</u> #
	<ul> <li>Key parameters for automatic waste feed cut-off systems?</li> </ul>	Yes <u>x</u> No □ N/A <u>RMK</u> #
	c. Communication or alarm system?	Yes <u>x</u> No □ N/ARMK#
	d. Response procedures for fire/explosions?	Yes <u>x</u> No <u>U</u> N/ARMK#
	e. Response to groundwater contamination incidents?	Yes <u>x</u> No □ N/ARMK#
	f. Shutdown procedures?	Yes <u>x</u> No □ N/ARMK#
5.	Is the personnel training program directed by a person trained in hazardous waste management procedures? [3745-65-16(A)(2)]	Yes <u>x</u> No □ N/ARMK#
6.	Do new employees receive training within six months after the date of hire (or assignment to a new position)? [3745-65-16(B)]	Yes <u>x</u> No □ N/ARMK#
7.	Does the generator provide annual refresher training to employees? [3745-65-16(C)]	Yes X No D N/A RMK#_3
8.	Are training records for current personnel kept until closure of the facility? [3745-65-16(E)]	Yes <u>x</u> No □ N/ARMK#
9.	Are training records for former employees kept for at least three years from the date the employee last worked at the facility? [3745-65-16(E)]	Yes <u>x</u> No □ N/A <u>RMK#</u>

Optional: The following section can be used by the inspector to document that all personnel who are involved with hazardous waste management have been trained. The employees who need training (written and/or on-the-job) may include the following: environmental coordinators, drum handlers, emergency coordinators, personnel who conduct hazardous waste inspections, emergency response teams, personnel who prepare manifests, etc.

Job Performed

Name of Employee

Date(s)Trained

## **CONTINGENCY PLAN**

1.		es the generator have a contingency plan which scribes the following: [3745-65-52(A) through (F)]	
·	a.	Actions to be taken in response to fires, explosions or any unplanned release of hazardous waste?	Yes <u>x</u> No □ N/A <u>RMK#</u>
	b.	Arrangements with emergency authorities? [3745-65-37]	Yes <u>x</u> No □ N/ARMK#
	C.	A current list of names, addresses and telephone numbers (office and home) of all persons qualified to act as emergency coordinator?	Yes <u>X</u> No □ N/ARMK#
	d.	A list of all emergency equipment, including: location, physical description and brief outline of capabilities?	Yes <u>x</u> No □ N/ARMK#
	e.	An evacuation plan for facility personnel where there is a possibility that evacuation may be necessary?	Yes <u>x</u> No □ N/A <u>RMK#</u>
NOTE:	40 ( am	ne facility already has a "Spill Prevention, Control a CFR Part 112 or 40 CFR Part 1510, or some other end that plan to incorporate hazardous waste n ficient to comply with OAC requirements. [3745-65	emergency plan, the facility can nanagement provisions that are
2.	hea un	the plan designed to minimize hazards to human alth or the environment from fires, explosions or any planned release of hazardous waste? [3745-65-(A)]	Yes <u>x</u> No □ N/ARMK#
3.	bed rec	a copy of the plan (plus revisions) kept on-site and en given to all emergency authorities that may be quested to provide emergency services? [3745-65-(A)(B)]	Yes <u>x</u> No □ N/ARMK#
4.	cha fail	s the generator revised the plan in response to rule anges, facility, equipment and personnel changes, ure of the plan or as required by the Director? 45-65-54	Yes <u>x</u> No □ N/ARMK#

Vickery Environmental, Inc.	
OHD 020 273 819	
03-72-0191	

5.		in emergency coordinator available at all times (on- or on-call)? [3745-65-55]	Yes <u>x</u> No  N/ARMK#
NOTE:	plar the	e emergency coordinator shall be thoroughly familiar with: (and it) and it is emergency coordinator shall be thoroughly familiar with: (and it) all operations and activities at the facility; (c) the location location of all records within the facility; (e) facility layout; and ources needed to implement provisions of the contingency p	n and characteristics of waste handled; (d) d (f) shall have the authority to commit the
6.	haz	s there been a fire, explosion or release of zardous waste or hazardous waste constituents ce the last inspection? If so:	YesNo_x_N/ARMK#
	a.	Was the contingency plan implemented? [3745-65-51(B)]	Yes No □ N/A <u>x</u> RMK#
	b.	Did the facility follow the emergency procedures in 3745-65-56(A) through (H)?	Yes No □ N/A <u>x</u> RMK#
	C.	Did the facility submit a report to the Director within 15 days of the incident as required by 3745-65-56(1)?	Yes No 🖸 N/A <u>x</u> RMK#

NOTE: OAC 3745-65-51(B) requires that the contingency plan be implemented immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents, which could threaten human health and the environment.

# PREPAREDNESS AND PREVENTION [3745-52-34(A)(4)]

1.	Is the facility operated to minimize the possibility of fire, explosion, or any unplanned release of hazardous waste? [3745-65-31]	Yes <u>x</u> No □ N/A <u>RMK#</u>
2.	Does the generator have the following equipment at the facility, if it is required due to actual hazards associated with the waste: [3745-65-32(A)(B)(C)(D)]	
	a. Internal alarm system?	Yes <u>x</u> No □ N/ARMK#
	b. Emergency communication device?	Yes <u>x</u> No □ N/ARMK#
	c. Portable fire control, spill control and decon equipment?	Yes <u>x</u> No □ N/A <u>           RMK#</u>
	d. Water of adequate volume/pressure?	Yes <u>x</u> No □ N/ARMK#_
3.	Is emergency equipment tested (inspected) as necessary to ensure its proper operation in time of emergency? [3745-65-33]	Yes <u>x</u> No □ N/A <u>RMK#</u>
4.	Are emergency equipment tests (inspections) recorded in a log or summary: [3745-65-33]	Yes <u>x</u> No □ N/ARMK#
5.	Do personnel have immediate access to a communication device when handling hazardous waste (unless the device is not required under 3745-65-32)? [3745-65-34]	Yes x No N/A RMK#
6.	Is adequate aisle space provided for unobstructed movement of emergency or spill control equipment? [3745-65-35]	Yes <u>x</u> No □ N/ARMK#
7.	Has the generator attempted to familiarize emergency authorities with possible hazards and facility layout? [3745-65-37(A)]	Yes <u>x</u> No  N/ARMK#
	a. Where authorities have declined to enter into arrangements or agreements, has the generator documented such a refusal? [3745-65-37(B)]	Yes No □ N/A _x _RMK#

#### **REMARKS**

## **GENERATOR ACCUMULATION**

1.	Has the generator accumulated hazardous wastes onsite in excess of 90 days without a permit or an extension from the director? [3745-52-34; ORC §3734.02(E)(F)]	Yes □ No <u>x</u> N/ARMK#
2.	Is the facility a metal finisher that generates waste water treatment sludge with a F006 waste code? If yes:	Yes No_x_ N/ARMK#
NOTE:	If yes, they may accumulate F006 waste on-site for up to must transport the F006 waste over 200 miles for off-si hazardous waste permit, provided that they meet these sp and (H)):	te metals recovery; without an Ohio
	a. The generator has implemented pollution prevention practices that reduce the amount of any hazardous substances, pollutants or contaminants entering F006 or otherwise released to the environment prior to its recycling (see your P2 coordinator for a copy of Federal Register 3/00 for a listing of examples of P2 measures, the facility should be prepared to demonstrate this request);	Yes No □ N/A <u>x</u> RMK#
•	<ul> <li>b. The F006 waste is legitimately recycled through metals recovery.</li> </ul>	Yes No □ N/A <u>x</u> RMK#
	c. No more than 20,000 kg. of F006 is accumulated on-site at any one time.	Yes No □ N/AX_RMK#

Yes \_\_\_ No D N/A \_x \_RMK#

Vickery Environmental, Inc.

OHD 020 273 819

03-72-0191

## SATELLITE ACCUMULATION AREA REQUIREMENTS [3745-52-34(C)(1)]

Does the generator ensure that satellite accumulation area(s):

d. The facility complies with the applicable

containment buildings for LQGs.

management standards for containers, tanks or

OHD 020 03-72-01		19	
	b. A	re at or near a point of generation? re under the control of the operator of the rocess generating the waste?	Yes x No N/A RMK# Yes x No N/A RMK#
	c. D	o not exceed a total of 55 gallons of hazardous aste?	Yes <u>x</u> No N/ARMK#
		o not exceed one quart of acutely hazardous aste at any one time?	Yes No □ N/A _x _RMK#
		ontainers are marked with the words "Hazardous	Yes <u>x</u> No □ N/ARMK#
NOTE:	The s from a proce be ind The in	laste" or other words identifying the contents? atellite accumulation area is limited to 55 gallons a distinct point of generation in the process underss generating the waste (less than 1 quart for actividual waste streams accumulated in an area from spector should refer to Guidance Document #Dray of the Control of the	or the control of the operator of the ute hazardous waste). There could som different points of generation.
4.		e generator accumulating hazardous waste(s) in ss of the amounts listed in either 2(c) or 2(d)? If	Yes No <u>x_</u> N/ARMK#

Yes \_\_\_ No □ N/A \_x\_RMK#

**USE AND MANAGEMENT OF CONTAINERS** 

Vickery Environmental, Inc.

b.

Did the generator mark the container(s) holding excess with the accumulation date when the 55

gallon (one quart) limit was exceeded?

Vickery Environmental, Inc. OHD 020 273 819 03-72-0191 Has the generator marked containers with the words Yes x No □ N/A RMK# "Hazardous Waste?" [3745-52-34(A)(3)] 6. Is the accumulation date on each container? [3745-52-Yes x No □ N/A RMK# 34(A)(2)] 7. Are hazardous wastes stored in containers which are: Closed (except when adding/removing wastes)? Yes x No □ N/A RMK# a. [3745-66-73(A)] b. In good condition? [3745-66-71] Yes x No □ N/A RMK# Compatible with wastes stored in them? [3745-Yes x No □ N/A RMK# c. 66-721 d. Handled in a manner which prevents Yes x No □ N/A RMK# rupture/leakage? [3745-66-73(B)] Is the container accumulation area(s) inspected Yes x No □ N/A RMK# 8. weekly? [3745-66-74] (Note location in general information section of checklist)

## a.

[3745-66-74]

Are containers located at least 50 feet (15 meters) from the facility's property line? [3745-66-76]

For ignitable and/or reactive hazardous waste(s):

Are inspections recorded in a log or summary?

- Are containers stored separately from other b. materials which may interact with the waste in a hazardous manner? [3745-66-77(C)]

Yes x No □ N/A RMK#

Yes x No □ N/A RMK#

Yes x No □ N/A RMK#

#### PRE-TRANSPORT REQUIREMENTS

a.

9.

OHD 02 03-72-0	20 273 819 191	
10.	Does the generator package/label its hazardous waste in accordance with the applicable DOT regulations? [3745-52-30, -52-31 and -52-32(A)]	Yes <u>x</u> No □ N/A <u>RMK</u> #
11.	Does each container <110 gallons have a completed hazardous waste label? [3745-52-32(B)]	Yes <u>x</u> No □ N/ARMK#
12.	Before off-site transportation, does the generator placard or offer the appropriate DOT placards to the initial transporter? [3745-52-33]	Yes <u>x</u> No D N/ARMK#

Vickery Environmental, Inc.

#### LDR CHECKLIST

#### **GENERAL LDR REQUIREMENTS**

1.		generator adequately evaluated all wastes to determine if restricted from land disposal? [3745-270-07(A)(1)] If so:	Yes_X_No⊡N/ARMK#
	a.	For determinations based solely on knowledge of the waste: Is supporting data retained on-site? [3745-270-07(A)(6)]	Yes_X_No□N/ARMK#
	b.	For determinations based upon analytical testing: Is waste analysis data retained on-site? [3745-270-07(A)(6)]	Yes_X_No⊡N/ARMK#
2.		generator determined each EPA hazardous waste code le to the waste? [3745-270-07(A)(2) see Table 1]	Yes_X_No□N/ARMK#
3.		generator determined the correct "treatability group(s)" (e.g., ater, non-wastewater, etc.)? [3745-270-07(A), Table 1]	Yes <u>X</u> No⊡N/A_RMK#
4.	Does the	e generator generate a characteristic hazardous waste? If	Y es_X_No_N/A_RMK#
	a.	Have all underlying hazardous constituents (UHCs) been identified? [3745-270-09(A)]	Yes <u>X</u> No□N/A_RMK#
NO		e waste is D001 non-wastewater treated by CMBST, RORG 5-270-42 UHCs do not need to be identified.	S, POLYM in Table 1 of Rule
5.		e generator generate listed waste(s) which also exhibit ous characteristics? [3745-270-09] If so:	Y es_XNoN/ARMK#
	a.	Has the generator also identified the appropriate treatment standard(s) for the constituent(s) which cause the waste to exhibit a characteristic? [3745-270-09(A)]	Yes X No□N/A RMK#

NOTE: The generator is not required to identify the treatment standard for the characteristic if the listing covers the associated characteristic (e.g., a F019/D007 hazardous waste - F019 being listed due to chromium content and D007 being the characteristic waste code for chromium). [See OAC Rule 3745-270-09(B)]

6.	Has the generator correctly determined if restricted wastes meet or do not meet treatment standards? [3745-270-07(A)(1)]	Yes <u>X</u> No⊡N/A_RMK#
NOT	E: Wastes with EPA hazardous waste numbers K174 and K175 (cl have specific requirements in rule 3745-270-33. Waste with EF K176, K177 and K178 (inorganic chemical wastes) have specif 270-36.	PA hazardous waste numbers
7.	Does the owner/operator ensure that restricted wastes or treatment residues are not diluted as a method of achieving/circumventing LDR treatment standards? [3745-270-03]	Yes <u>X</u> No <u>□</u> N/A_RMK#
ГОИ	E: A generator may dilute a waste (that is hazardous only because a treatment system that discharges to waters of the State pursof CWA), that treats waste in a CWA equivalent treatment syst purposes of pre-treatment requirements under §307 of CWA, μ DEACT is specified or the waste is a D003 reactive cyanide wastewater.[3745-270-03(B)]	suant to an NPDES permit (§402 em, or that treats waste for the inless a method other than
8.	Is combustion of any of the wastes identified in the Appendix to Rule 3745-270-03 occurring without meeting one or more of the criteria under Rule 3745-270-03(C) upon generation or after treatment? [3745-270-03(C)]	YesNo⊡N/A <u>X</u> RMK#
NO	E: In other words, is combustion a legitimate treatment method.	
9.	Has the generator added iron to lead-containing hazardous waste in order to achieve LDR treatment standards for lead? [3745-270-03(D)]	YesNo⊡N/A_X_RMK#
10.	Does the facility have a case-by-case extension to the effective date to land dispose of hazardous waste?[3745-270-05] If so:	Y esNo_X_N/ARMK#
	a. The facility can dispose of hazardous waste in a on-site landfill or surface impoundment.[3745-270-05]	YesNo□N/A_X_RMK#
11.	Does the facility have an extension to allow for a restricted waste to be land disposed?[3745-270-06] If so:	Y es No <b>X</b> N/A RMK#

2-	0191	
	a. The facility can land dispose of the waste. [3745-270-06]	YesNo⊡N/A_X_RMK#
12.	Does the facility treat wastes that are otherwise prohibited from land disposal, in a surface impoundment? If so:	Y esNo_X_N/ARMK#
	a. Has the facility complied with 3745-270-04?	Vas NaTNIA Y PMK#

## **REMARKS**

### **NOTIFICATION AND CERTIFICATION REQUIREMENTS**

Vickery Environmental, Inc.

○<sup>11</sup>D 020 273 819

If a generator's waste or contaminated soil does not meet the treatment standards, does the generator have the paperwork required in Column A of Table 1 of 3745-270-07? [3745-270-07(A)(2)]

Yes\_X\_No□N/A\_\_RMK#\_\_\_

J . <b>_</b>		
14.	If a generators' waste or contaminated soil meets the treatment standard at the original point of generation, does the generator have the paperwork required in Column B of Table 1 of 3745-270-07? [3745-270-07(A)(3)]	YesNo□N/A_X_RMK#
15.	If a generators' waste is exempt (under 3745-270-05, 3745-270-06, national capacity or case-by-case variance, etc.) does the generator have the paperwork required in Column C of Table 1 of 3745-270-07? [3745-270-07(A)(4)]	YesNo⊡N/A_X_RMK#
16.	If a generator manages a lab pack containing hazardous waste using the alternative treatment standard in 3745-270-42, does the generator have the paperwork required in Column D of Table 1 of 3745-270-07? [3745-270-07(A)(9)]	YesNo□N/A <u>X</u> RMK#
17.	Does the generator produce a waste that is hazardous waste from the point of generation, but subsequently excluded from regulation under OAC 3745-51-02 through 3745-51-06? [3745-270-07(A)(7)] If so:	Y esNo_X_N/ARMK#
	<ul> <li>a. Is a one-time notice placed in the facility's file stating such generation, subsequent exclusion or exemption, and disposition of the wastes? [3745-270-07(A)(7)]</li> </ul>	YesNo⊡N/A_X_RMK#
ГОИ	TE: Examples include hazardous wastes discharged to a POTW of NPDES permit.(See 270-07(A)(7))	r to a surface water under a
18.	Does the generator retain on-site a copy of all notices, certifications, demonstrations and waste analysis data for at least three years from the last shipment of waste sent off-site? [3745-270-07(A)(8)]	Yes_X_No⊡N/ARMK#
	REMARKS	
GEN	NERATORS TREATING HAZARDOUS WASTE	
1.	Is treatment of hazardous waste occurring to meet the treatment standards in 3745-270-40?	Y esNo_X_N/ARMK#
2.	If so, does the generator have a waste analysis plan containing the following requirements? [3745-270-07(A)(5)]	Voc. No TN/A Y DM/C#

Yes\_\_No\_N/A\_X\_RMK#\_\_\_

Vickery Environmental, Inc.

OTD 020 273 819

2-0191

a. A detailed chemical and physical analysis of sample of the wastes being treated? [3745.]

-	a.	A detailed chemical and physical analysis of a representative sample of the wastes being treated? [3745-270-07(A)(5)(a)]	Yes_	No□N/A X	RMK#
	b.	All information necessary to treat the waste(s) in accordance with the requirements of 3745-270, including the selected frequency? [3745-270-07(A)(5)(a)]	Yes_	_No□N/A_X	RMK#
3.		e WAP on-site in the facility's files and available to inspectors? 5-270-07(A)(5)(b)]	Yes_	No⊡N/A X	RMK#
4.	Has	the generator followed their WAP [3745-270-07(A)(5)?	Yes_	_No□N/A <u>X</u>	RMK#
5.		e the treated wastes met the applicable treatment standards in 5-270-40?	Yes_	No⊡N/A_X	_RMK#
NOT	E: /	f the waste is a characteristic waste, which has been treated to subsequently sent to a solid waste landfill, proceed to quest			dous and
6.		the generator sent a notification and certification with the initial ment of waste?[3745-270-07(A)(5)(c)]	Yes_	_No□N/A_X_	_RMK#
7.		es each notification/certification form completed, contain the rmation found in Table 1 of 3745-270-07? [3745-270-07(A)(5)(c)]	Yes_	No□N/A_X	_RMK#
8.	noti	the generator, who is treating a characteristic waste, submitted a fication and certification to the director which contains the owing:	Yes_	No□N/A_X_	_RMK#
	a.	Name and address of the facility receiving the waste? [3745-270-09(D)(1)(a)]	Yes_	No□N/AX	_RMK#
	b.	A description of the waste, including EPA hazardous waste codes and treatability group, and UHCs? [3745-270-09(D)(1)(b)]	Yes_	No□N/A_X	_RMK#
ПОЛ	<b>.</b>	If the waste will be treated and monitored for all UHCs then the notice.	ey do	not need to be	listed on the
۹.		s the process/operation generating the waste or the solid waste	Y es	NoN/A_X	RMK#
	a.	Has the notification and certification been updated in the generators and treaters files? [3745-270-09(D)]	Yes_	_No□N/A_X	_RMK#

	y Environmental, Inc. 20 273 819 0191	
	b. Has the director been notified of such changes? [3745-270-09(D)]	YesNo□N/A_X_RMK#
NOT	E: The director need only be notified on an annual basis but no la	nter than December 31.
10.	Is the facility treating contaminated soil using the alternative treatment standards in 3745-270-49? If so:	Y esNo_X_N/ARMK#
	a. Has the facility treated the contaminated soil to less than 10 times the Universal Treatment Standards or has a 90% reduction in the total constituent concentrations occurred? [3745-270-49 (C)]	YesNo□N/A_X_RMK#
11.	Does each notification/certification form completed, contain the information found in Table1? [3745-270-07(A)(3)]	YesNo⊡N/A_X_RMK#
NO.	E: If the waste will be treated and monitored for all constituents, a on the LDR notice.	there is no need to put them all
	REMARKS	
HA	ARDOUS DEBRIS	
1.	Does the material in question meet the definition of hazardous debris as defined in rule 3745-270-02(A)(3)?	Yes No N/A <b>X</b> RMK#

2.	star	te hazardous debris being treated to the waste specific treatment adard in 3745-270-40 to 3745-270-49? (If yes, use the generator cklist.)	Y es_	_No	N/A_X_RMK#
3.		ne hazardous debris being treated by the alternative treatment indards in 3745-270-45? If so:	Y es_	_No	N/A <u>X</u> RMK#
	a.	Has the debris or mixtures of debris been treated for each contaminant subject to treatment (toxicity, listed waste and cyanide reactive debris) using one or more of the treatment technologies found in Table 1 in 3745-270-45? [3745-270-45(A)]	Yes_	_No□N	N/A <u>X</u> RMK#
NOT	E:	If immobilization has been used in a treatment train, it must be used.	the las	st treati	ment technology
4.		s the hazardous debris a listed waste treated by an immobilization nology in Table 1? [3745-270-45(A)(1)] If so:	Y es_	_No	_N/A_XRMK#
	a.	Was immobilization the last treatment technology used? [3745-270-45(A)(3)]	Yes_	_No□	N/A_X_RMK#
5.	ls t	ne waste a PCB waste under 40 CFR Part 761? If so:	Y es_	No	N/A X RMK#
	a. ု	Has the waste been treated to the most stringent standard in 40 CFR 761 or 3745-270-45? [3745-270-45(A)(5)]	Yes_	_No□I	N/A <u>X</u> RMK#
6.	dis	s the residue from the treatment of hazardous debris been cosed of in accordance with 3745-270-40 to 3745-270-49? [3745-0-45(D)]	Yes_	_No□!	WA <u>X</u> RMK#
7.	is e	es the owner/operator of a treatment facility that claims the debris excluded from regulation as a hazardous waste under 3745-51-F)(1) maintain the following information?	Y es_	No	N/A <u>X</u> RMK#
	a.	Records of all inspections, evaluations, and analyses of treated debris? [3745-270-07(D)(3)(a)]	Yes_	_No□	N/A_X_RMK#
	b.	Records of key operating parameters of the treatment unit? [3745-270-07(D)(3)(b)]	Yes_	_No□	N/A_X_RMK#
;	C.	A certification statement for each shipment of treated debris? (See 270-07(D)(3)(c) for exact wording) [3745-270-07(D)(3)(c)]	Yes_	No□	N/A <u>X</u> RMK#

8.	Does the notifications and certifications of an owner/operator who first claims the debris is excluded under 3745-51-03(F)(1) have the following information? [3745-270-07(D)(3)]	
	a. Name and address of licensed solid waste landfill receiving the treated debris? [3745-270-07(D)(1)(a)]	ne YesNo□N/A_X_RMK#
	b. Description of hazardous debris as initially generated with applicable waste codes? [3745-270-07(D)(1)(b)]	YesNo□N/A_X_RMK#
	c. Technology used from Table 1? [3745-270-07(D)(1)(c)]	YesNo□N/A_X_RMK#
9.	Has the above notification been sent to the director? [3745-270-07(D)(1)]	Y esNoN/A_X_RMK#
	NEWA CO	
TRE	ATING FACILITIES WHICH TREAT WASTE TO MEET LDR	STANDARDS
1.	Does the treating facility test waste according to their waste analysplan as required in 3745-54-13 or 3745-65-13?[3745-270-07(B)]	sis Yes <u>X</u> No⊡N/ARMK#
2.	Has a one-time notification been sent with the initial shipment of waste or contaminated soil to the land disposal facility? [3745-270 07(B)(3)]	- Yes_ <b>X</b> _No□N/ARMK#
Note	e: No further notification is necessary until such time that the facility changes.	e waste changes or the receiving
3.	Does the one-time notification and certification contain the information listed in Table 2 of 3745-270-07?[3745-270-07(B)(3)]	Yes_X_No⊡N/ARMK#
4.	Are wastes or treatment residues being sent to another TSD to be further managed? If so:	Yes_X_No⊡N/ARMK#
	<ul> <li>Has the facility complied with the generator notification/certification requirements?</li> <li>[Table 1, 3745-270-07(B)(5)]</li> </ul>	Yes_X_No⊡N/ARMK#
5.	Are recyclable materials used in a manner constituting disposal are	nd YesNo□N/A_X_RMK#

	a.	Has the treatment facility (recycler) sent a notification (found at 3745-270-07(B)(4)], excluding the manifest number, with each shipment of waste? [3745-270-07(B)(6)]	YesNo□N/A <u>X</u> RMK#
	b.	Has the treatment facility (recycler) sent a certification found in 3745-270-07(B)(4)[3745-270-07(B)(6)]	YesNo□N/A <u>X</u> RMK#
	C.	Has a copy of the notification and certification been sent to the director? [3745-270-07(B))(6)]	YesNo⊡N/A_X_RMK#
6.	of e	es the recycling facility maintain records of the name and location ach entity receiving the hazardous waste-derived products? 45-270-07(B)(6)]	YesNo⊡N/A_X_RMK#
7.		es the owner or operator of any land disposal facility disposing of ste subject to regulation under 3745-270 have:	YesNo□N/A_X_RMK#
	a.	Copies of all notices and certifications required in 3745-270?	YesNo⊡N/A_X_RMK#
	b.	Test results indicating all waste, extracts of waste or treatment residue are in compliance with 3745-270-40 to 3745-270-49?	YesNo□N/A_X_RMK#
	C.	The testing frequency specified in the facility's WAP and have they followed the protocol?	YesNo□N/A_X_RMK#

# **USED OIL INSPECTION CHECKLIST (Short Version)**

NOTE: This checklist does not include requirements for used oil transporters and transfer facilities, processors and re-refiners, burners, and marketers.

	RC	M!	R	TI	$\cap$	NS
_	п.	8571		, a i		M = 7

1.	Is used oil being managed in a surface impoundment or waste pile? If so:	YesNo_x_N/ARMK#
	Is the surface impoundment or waste pile being regulated under OAC 3745-54 to 3745-57 and 3745-205 or 3745-65 to 3745-69 and 3745-256? [3745-279-12(A)]	Yes No □ N/A <u>x</u> RMK#
2.	Is used oil being used as a dust suppressant? [3745-279-12(B)]	Yes ☐ No <u>x</u> N/A <u>RMK#</u>
3.	Is off-specification used oil fuel burned for energy recovery only in devices specified in 3745-279-12(C)?	Yes No □ N/A <u>x</u> RMK#
USED	OIL GENERATOR STANDARDS	
4.	Does the generator mix hazardous waste with used oil only as provided in 3745-279-10(B)? [2745-279-21(A)]	Yes No □ N/A <u>x</u> RMK#
5.	Does the generator of a used oil containing greater than 1,000 ppm total halogens manage the used oil as a hazardous waste unless the presumption is rebutted successfully? [3745-279-21(B)]	Yes No □ N/A <u>x</u> RMK#
6.	Does the generator only store used oil in tanks, containers, or units subject to OAC 3745-54 to 3745-57 and 3745-205 or 3745-65 to 3745-69 and 3745-256? [3745-279-22(A)]	Yes <u>x</u> No □ N/ARMK#
7.	Are containers and aboveground tanks used to store used oil in good condition with no visible leaks? [3745-279-22(B)]	Yes <u>x</u> No □ N/A <u>RMK</u> #
8.	Are containers, above ground tanks, and fill pipes used for underground tanks clearly labeled or marked "Used Oil?" [3745-279-22(C)]	Yes <u>x</u> No □ N/A <u>RMK#</u>
9.	Has the generator, upon detection of a release of used oil, done the following: [3745-279-22(D)]	
	a. Stopped the release?	Yes No □ N/A _x_RMK#
	b. Contained the release?	Yes No □ N/A <u>x</u> RMK#

Vickery E ОЧD 020 2-019	273 81	mental, Inc. 9	
	C.	Cleaned up and properly managed the used oil and other materials?	
Yes No □ N/A	d.	Repaired or replaced the containers or tanks prior to returning them to service, if necessary?	Yes No □ N/A <u>x</u> RMK#
<u>_x</u> RMK #			
10.		the generator burn used oil in used fired space rs? [3745-279-23] If so:	YesNo <u>x_</u> N/ARMK#
	a.	Does the heater burn only used oil that owner/operator generates or used oil received from household do-it-yourself (DIY) used oil generators?	Yes No □ N/Ax_RMK#
	b.	Is the heater designed to have a maximum capacity of not more that 0.5 million BTU per hour?	Yes No □ N/A <u>x</u> RMK#
	C.	Are the combustion gases from heater vented to the ambient air?	Yes No □ N/A _x_RMK#
11.	trans gene	the generator have the used oil hauled only by porters that have obtained U.S. EPA ID#, unless the rator qualifies for an exemption pursuant to 3745-279-elf transportation or tolling agreements)? [3745-279-24]	Yes <u>x</u> No □ N/A <u>RMK#</u>
USED	OIL CO	LLECTION CENTERS AND AGGREGATION POINTS	
12.		e DIY used oil collection center in compliance with the rator standards in 3745-279-20 to 3745-279-24? [3745-30]	Yes No □ N/A <u>x</u> RMK#
13.		non-DIY used oil collection center registered with Ohio [3745-279-31]	Yes No □ N/A _x_RMK#
14.		e used oil aggregation point in compliance with the rator standards in 3745-279-20 to 3745-279-24? [3745-32]	Yes No □ N/A <u>x</u> RMK#
WAST	E EVAL	UATION	
15.		e all wastes generated at the facility been evaluated? 5-52-11]	Yes <u>x</u> No □ N/A <u>RMK</u> #
		REMARKS	

<u>ob</u>1.

Ohio EPA received VEI's annual report electronically on 2/16/07.

VEI last submitted the waste minimization report to Ohio EPA on 3/15/06.



VEI conducted training required by OAC Rule 3745-54-16(A) for the following employees on February 27, 2006: Steve Lonneman, Carolyn Golamb, Brett Miller, Thomas Stayancho, Kennard Franks, Dennis McClure, Jeff Covert, Gary Emery, James Baumer and Michael Slane. VEI provided training to the above listed employees again from March 12, 2007 through March 16, 2007.

3. Is compliant in the fact that per Vickery's permit, 'annual review' of the training Char-waste) is defined as calendar year.

Also, language in the regulations does not provide different language other than "annual review".

# Vickeny Environmental, Inc. 9/20/07

# Inspection Checklist for Subpart CC: Air Emission Standards (Tanks)

Applicability: The air emission requirements apply to units subject to Subpart J \* unless any of the following apply:

Item #	40 CFR:	*Note: CESQG's and SQG's are exempt					
CC-T1	265. 1	Do any of the following general exclusions apply? If yes, please circle.	YES NO				
1. Wastewater treatment units -265.1(c)(10) 4. Elementary neutralization units -265.1(c)(10)							
2. Emer	gency spill man	agement units265.1(c)(11) 5. Totally enclosed treatment units265.1(c)(9)	€)				
3. Haza	3. Hazardous waste recycling units265.1(c)(6) 6. Satellite accumulation areas265.1(c)(7) - 262.34(c)(1)						
CC-T2	265.1080	Do any of the following exceptions apply? If yes, please circle.	YES NO				
1. Waste	1. Waste was placed in the unit prior to Oct. 6, 1996 and none has been added since265.1080(b)(1)						
2. The u	nit has stopped	adding waste and is undergoing closure pursuant to an approved closure plan2	65.1080(b)(3)				
3. The u	nit is used solely	y for onsite treat, ent or storage as a result of remedial activities required under					
corre	ctive action, Sup	erfund, or other similar state program2	65.1080(b)(5)				
4. The u	nit is used solel	y to manage radioactive mixed waste2	265.1080(b)(6)				
5. The u	nit operates with	n an emission control device regulated by and in accordance with Clean Air Act regul	lations(b)(7)				
6. The ι	nit operates wit	h a process vent as defined in 264.1031, regulated under Subpart AA.	265.1080(b)(8)				
CC-T3	265.1080(d)	Administrative Stay for Organic Peroxide Waste:	YES NO				
If the uni	t recieves hazar	dous waste generated by organic peroxide manufacture, and the owner/operator has r	net the conditions as				
set forth in	265.1080(d), tl	ne requirements under Subpart CC are administratively stayed, except for the record k	keeping requirement				
which add	itionally include	the notification requirement as given in 265.1080(d)(3).					
CC-T4	265.1083	Do any of the following exemptions apply? If yes, please circle.	YES NO				
General S	standards: The	owner/operator must control air emissions from waste management units except the u	nit is exempt if:				
1. All ha	zardous waste e	intering the unit has an average VO concentration at the point of origination less than					
500 p	arts per million	by weight (waste determination required by 265.1084; see CC-T5).	-265.1083(c)(1)				
2. The o	rganic content o	f all waste entering the unit has been reduced by one of the 8 acceptable processes.	-265.1083(c)(2				
3. The u	nit is a tank use	d for certain biological treatment consistent with 265.1087(c)(2)(iv).	-265.1083(c)(3)				
4. The h	azardous waste	placed in the unit meets the LDR numerical concentration limits given in 268.40 or					
has b	een treated usir	ng the LDR treatment technology specific for the waste (specified in 268.42).	-265.1083(c)(4)				
5. The u	nit is a tank wit	nin an enclosure used for bulk feed to an incinerator and meets certain requirements.	-265.1083(c)(5				
CC-T5	265.1084	Waste Determination  Determination  Not Needed	Detemmention Necded				
Was the \	O concentration	properly determined for each waste which the facility manages in a unit which does	not meet Subpart (				
ragniromo	nto? The comes	ntration must be determined by either direct measurement or knowledge. Please see 2	CE 1004 C				

requirements? The concentration must be determined by either direct measurement or knowledge. Please see 265.1084 for specific requirements for measurement and knowledge. Determination is **not** needed for waste managed in tanks which meet Subpart CC

s' 'rds. It may be necessary to evaluate tank management prior to requiring VO concentration determination.

			·		, -
				·	

TANK MANAGEMENT Level 1 tank controls apply only to a fixed-roof tank in which the maximum vapor pressure of organic waste is less than that listed for each tank design capacity, contents are not heated above the temperature of vapor pressure determination, and no waste zation is conducted in the tank. -265,1085(b)(1) Tanks that exceed Level 1 criteria must use Level 2 controls; tanks that do not exceed Level 1 criteria may use Level 2 controls. The five design options for Level 2 controls are given below, vented fixed-roof tanks are the most common. -265.1085(b)(2) Level 1 pressure limits Tank-Design Capacity Level 1 Level 2  $\geq 151 \text{m}^3 / 40,000 \text{ gal}$ < 5.2 kPa / 0.75 psiFixed-roof tanks Fixed-roof tanks vented to control device -265.1085(g) External floating roof tanks - 265.1085(f) -265.1085(c)(1)  $< 151 \text{ m}^3 \text{ and } \ge 75 \text{ m}^3$ < 27.6 kPa / 4.0 psi Fixed-roof with internal floating roof -265.1085(e) through (c)(4) Enclosure vented to combustion device - 265.1085(i) -265.1085(d)  $< 75 \text{ m}^3 / 20,000 \text{ gal}$ < 76.6 kPa / 11.1 psi Pressure tank - 265.1085(h) 265.1085(c) Level 1 Controls for Fixed-Roof Tanks NA=Not Applicable NI=Not Inspected  $OK_T^{\frac{1}{2}}$  In Compliance DF= Deficiency CC-T6 265.1085(c)(1) Vapor Pressure Determination NA NI DE Has the owner/operator determined the maximum organic vapor pressure of the waste in the tank: -265.1085(c)(1) (1) by direct measurement or by knowledge? -265.1084(c)(3,4) 24.0 Is the determination acceptable? Does waste in tank exceed vapor pressure threshold for tank size? Vo (If yes must use Level 2 Controls) ET 8

CC-T7 265.1085(c)(2) **Tank Design Specifications** NA NI OK 

The fixed roof and its closure devices shall be designed to form a continuous barrier over the entire surface area of the hazardous waste in the tank; shall be installed such that ther are no visible cracks, holes, gaps or other open spaces between roof and tank wall / closure device and roof. Inspect the fixed roof and closure devices of each tank or a representative percentage of multiple tanks; list and photograph defects at each.

Tank #	Defect(s)	Photo #		Notes		
			(Y/A)		·	
·						
	-					· · · · · · · · · · · · · · · · · · ·

Is each opening in the fixed roof (sampling port, conservation vent, level indicator, safety valve, etc.): 265.1085(c)(2)(i)(A) YES equipped with a closure device such that when closed there are no visible cracks, holes, gaps or other open spaces? or; 265.1085(c)(2)(i)(B) connected via a closed vent system to a control device? (If YES see Level 2 Controls checklist below) YES CC-T8 265.1085(j) Waste transfer requirements NA M OK

Transfer of hazardous waste to the tank from another tank subject to 265.1085 or suface impoundment subject to 265.1086 shall be conducted using continuous hard piping or other closed system, to prevent exposure of waste to atmosphere; except under conditions given in 265.1085(j)(2)

CC-T9 265.1085(c)(3) Operating requirements NA M OK

Cover and closure devices shall be closed at all times except when performing routine inspections, sampling, maintenance and cleaning. Opening of a pressure/vacuum relief valve, conservation vent or similar device is allowed during normal operations to maintain tank pressure within design specificatons. Opening of a safety device is allowed at any time.

sure/vacuum relief valves and conservation vents designed to operate with NDE when secured in closed position? A. opening settings of these devices consistent with the manufacturer's recommended operating ranges? What are the pressure settings of these devices and how do they compare with Level 1 vapor pressure limits?



	. 2									
CC-T10	265.1085(c)(4)	Inspection requirements	NA	NI	(ok)	<b>101</b>				
The fixed roof and closure devices shall be visually inspected for defects initially, on or before December 12, 1996, or when first in service and fter at least annually, according to written plan; except when unsafe, and delay conditions are met. Buried parts of tank need not be inspected TSDs: The inspection plans must be incorporated into the overall facility inspection plan as per 265.15.										
CC-T11	265.1085(k)	Repair requirements	(NA)	NI	ок	D K				
Owner/operator shall make first efforts at repair of each defect detected during an inspection no later than 5 calendar days after detection; repairs shall be completed as soon as possible but no later than 45 calendar days after detection, except as provided in 265.1085(k)(2).										
CC-T12	265.1090(b)	NA	NI	$\left(\mathbf{o}\mathbf{K}\right)$	. n					
waste (if te	ested, records include t	nust be maintained on-site including: unique unit ID number, dime ime and date of samples, analytical method, and results), and inspenses noted regarding items CC-T6 through CC-T12:	ensions and cection and re	capacity, orga	nnic vapor proper for three ye	oressure of ars.				
Space with last his home of the last comment of his order was a faculty	and any management program and any other pro									
CC- T13	265.1085(c)(2)		NA=Not A <sub>l</sub> OK= In Co	-		Inspected eficiency				
All requirements of CC-T7 and: Each roof opening not equipped with a closure device shall be connected to a closed system that is vented to a control device which removes or destroys organics in the vent stream, and which shall be operating whenever hazardous waste is in the tank.										
CC- T14		Waste transfer requirements	NA	NI	ок					
		All requirements of CC-T8.		· •						
CC- T15	265.1085(g)	Operating requirements	NA	NI	ок					
All requi	rements of CC-T9 a	nd: Closed vent system and control device shall be installed	l and operat	ed in accord	lance with	265.1088.				
CC- T16	265.1085(g)(3)	Inspection requirements	NA ·	NI	ок	P.P.				
All requirements of CC-T10 and: perform initial leak detection testing of closed vent system on or before date tank is subject to the rule, as per 265.1088(b)(4); annually inspect closed vent system components per 265.1033(k) and 265,1034(b); negative pressure systems per 265.1033(j)(2).										
CC- T17	265.1085(k)	Repair requirements	NA	NI	ок	<b>DI</b>				
		All requirements of CC-T11.			-					
CC- T18	265.1090(e)	Recordkeeping requirements	NA	NI	ок	a a u p				
years; also	<ul> <li>If control device is n</li> </ul>	d: maintain records of unexpected malfunctions and semiannual unot a carbon absorber, condenser, flare, process heater, boiler or the nanufacturer's documentation). Please list in detail below deficient	ermal vapor	incinerator, n	naintain rec	cords of				
						-				
						-				